

PEST SITUATION OF FIELD CROPS, VEGETABLES & ORCHARDS FOR 1ST FORTNIGHT OF FEBRUARY, 2024

| DISTRICT | CROPS | No. of Spots | Area Surveyed (Acre) | Area Affected (Acre) | INSECT PEST/ DISEASE | AFFECTED LOCALITIES/ AREA IN ACRES | | | | | |
|----------|--------|--------------|----------------------|----------------------|----------------------|--|------------------------------------|---------------|--|------------------------|---------------|
| | | | | | | ABOVE ETL LOCALITIES | No. of Spots Above ETL (Hot Spots) | AREA IN ACRES | BELOW ETL LOCALITIES | No. of Spots Below ETL | AREA IN ACRES |
| Multan | MANGO | 29 | 485 | 450 | Scales | | | | Pahoor, 5 Faiz, 2 T, Chahn meran khan, Veins, Todar pur, Gawen. | 9 | 230 |
| | MANGO | | | | Thrips | | | | Pahoor, Tara garh, 5 Faiz, Qadir pur lar, 2 T, Chahn meran khan | 8 | 129 |
| | MANGO | | | | Hopper | Gajju Hatta | 2 | 4 | Pahoor, 5 Faiz, Rukanabad, 2 T, Veins, Gawen, Bagrain, Khakhi qomain, Deepal, Bait Mughal, Bahadur pur | 11 | 159 |
| | MANGO | | | | MealyBug | 5 Faiz, Qadir pur lar | 2 | 50 | | | |
| | MANGO | | | | Galls/ Midges | Chahn meran khan | 1 | 23 | Pahoor, Tara garh, 5 Faiz, Rukanabad, 2 T, Veins, Todar pur, Gawen, Chahn meran khan, Bagrain, Soman, Khan pur Qazian, Khakhi qomain, Deepal, Bait Mughal, Bahadur pur | 32 | 372 |
| | MANGO | | | | Anthracnose | Pahoor, Tara garh, 5 Faiz, Rukanabad, Qadir pur lar, 2 T, Gawen, Chahn meran khan, Bagrain, Khakhi qomain, Deepal, Bait Mughal, Bahadur pur | 20 | 403 | | | |
| | MANGO | | | | Powdery Mildew | Pahoor, Tara garh, Rukanabad, 2 T, Veins. | 6 | 94 | | | |
| | MANGO | | | | Malformation | Pahoor, Tara garh, 5 Faiz, Rukanabad, Qadir pur lar, 2 T, Chahn meran khan, Bagrain, Soman, Khan pur qazian, Khakhi qomain, Bahadur pur | 26 | 438 | | | |
| | MANGO | | | | Gummosis | Pahoor, Tara garh, 5 Faiz, Rukanabad, 2 T, Khakhi qomain, Bahadur pur | 9 | 159 | | | |
| | MANGO | | | | Decline | Pahoor, Tara garh, Rukanabad, Gawen, Chahn meran khan, Bagrain, Khan pur qazian, Khakhi qomain, Bahadur pur | 11 | 11 | | | |
| | Citrus | 16 | 492 | 480 | Leaf Miner | | | | Tara garh, Qasba sani, Araen wala, 11 F, Jam pur, Kabir pur, Todar pur, Khakhi punjani, Mohan pur, Deepal, Umer pur | 11 | 100 |
| | Citrus | | | | Psylla | Todar pur | 1 | 6 | Tara garh, Araen wala, Kabir pur, Khakhi punjani, Mohan pur, Deepal, Umer pur | 7 | 71 |
| | Citrus | | | | Thrips | | | | Jhok gammu, 11 F, Jam pur, Kabir pur, Mohan pur | 5 | 37 |
| | Citrus | | | | Caterpillar | | | | Taragarh, Qasba sani, 2 T, Khakhi punjani, Mohan pur | 5 | 214 |
| | Citrus | | | | Wither Tip | Tara garh, Kabir pur, Jhok gammu, Qasba sani, Labar, Araen wala, 11 F, 2 T, Jam pur, Kabir pur, Todar pur, Khakhi punjani, Mohan pur, Deepal, Umer pur | 16 | 480 | | | |
| | Citrus | | | | Gummosis | Tara garh, Jhok gammu, Labar, 2 T, Jam pur, Kabir pur, Umer pur | 7 | 243 | | | |

| DISTRICT | CROPS | No. of Spots | Area Surveyed (Acre) | Area Affected (Acre) | INSECT PEST/ DISEASE | AFFECTED LOCALITIES/ AREA IN ACRES | | | | | |
|----------|--------------|--------------|----------------------|----------------------|----------------------|--|------------------------------------|---------------|---------------------------------------|------------------------|---------------|
| | | | | | | ABOVE ETL LOCALITIES | No. of Spots Above ETL (Hot Spots) | AREA IN ACRES | BELOW ETL LOCALITIES | No. of Spots Below ETL | AREA IN ACRES |
| | Citrus | | | | Canker | Jhok gammu, Araen wal, 2 T, Jam pur, Todar pur | 5 | 182 | | | |
| | Citrus | | | | Slow Decline | Tara garh, Qasba sani, 2 T, Kabir pur, Todar pur, Umer pur | 6 | 8 | | | |
| | GUAVA | 5 | 13 | 13 | Anthracnose | 12 MR, Wahi bhakhar, Khakhi Qomain, Umer pur | 4 | 12 | | | |
| | GUAVA | | | | Wither Tip | 12 MR | 1 | 3 | | | |
| | GUAVA | | | | Fruit Fly | | | | 12 MR, Qasba sani | 2 | 4 |
| | Tori | 4 | 5 | 5 | Beetle | | | | Qasba awwal | 1 | 1 |
| | | | | | Whitefly | | | | Chak 83 M | 1 | 1 |
| | | | | | Wilt | Qasba awwal | 1 | 1 | | | |
| | | | | | Fruit Fly | | | | Qasba awwal | 2 | 3 |
| | | | | | Mosaic | Qasba awwal | 1 | 1 | | | |
| | Cabbage | 1 | 1 | 1 | Diamond Backed Moth | | | | Labar | 1 | 1 |
| | | | | | Mosaic | Labar | 1 | 1 | | | |
| | Tomato | 1 | 1 | 1 | American Bollworm | | | | Labar | 1 | 1 |
| | Water Melon | 2 | 21 | 21 | Aphid | | | | Bait mughal | 2 | 21 |
| | Cucumber | 1 | 4 | 4 | Mosaic | Qasba awwal | 1 | 4 | | | |
| | | | | | Fruit Fly | | | | Qasba awwal | 1 | 4 |
| | Okra | 6 | 7 | 7 | Whitefly | | | | Kotli Najabat | 1 | 1 |
| | Okra | | | | Jassid | | | | Pahor, Norangabad, Chadhar, Sikander | 4 | 5 |
| | Okra | | | | Aphid | | | | Sikanderabad, Shah pur ubah | 2 | 2 |
| | Melon | 1 | 10 | 10 | Fruit Fly | | | | Rasool Pur | 1 | 10 |
| | | | | | Downy Mildew | Rasool Pur | 1 | 10 | | | |
| | Bitter Gourd | 2 | 3 | 3 | Beetle | | | | Qasba awwal | 1 | 1 |
| | | | | | Fruit Fly | | | | Qasba awwal | 2 | 3 |
| | | | | | Mosaic | Qasba awwal | 1 | 1 | | | |
| | Chillies | 7 | 14 | 5 | Army Worm | Qasba awwal | 1 | 1 | | | |
| | | | | | Thrips | | | | Sikanderabad | 1 | 4 |
| | Onion | 16 | 41 | 39 | Downy Mildew | Khakhi qomain, Chak 83 M, Bahadur | 6 | 15 | | | |
| | Onion | | | | Purple Blotch | Talkot, Sikandarabad, Chah meran kh | 4 | 6 | | | |
| | Onion | | | | Thrips | Labar, Talkot, Chah meran khan, Khak | 6 | 12 | Baqir pur, Qasba awwal, Sikendarabad, | 9 | 26 |
| | Pumpkin | 2 | 5 | 5 | Fruit Fly | | | | Qasba awwal | 1 | 1 |
| | | | | | Beetle | | | | Qasba awwal | 2 | 5 |
| | | | | | Fruit End Rot | Qasba awwal | 2 | 5 | | | |
| | Brinjal | 3 | 3 | 3 | Whitefly | | | | Sher shah, Kabir pur, Chak 83 M | 3 | 3 |

| DISTRICT | CROPS | No. of Spots | Area Surveyed (Acre) | Area Affected (Acre) | INSECT PEST/ DISEASE | AFFECTED LOCALITIES/ AREA IN ACRES | | | | | |
|----------|--------------|--------------|----------------------|----------------------|----------------------|--|------------------------------------|---------------|---|------------------------|---------------|
| | | | | | | ABOVE ETL LOCALITIES | No. of Spots Above ETL (Hot Spots) | AREA IN ACRES | BELOW ETL LOCALITIES | No. of Spots Below ETL | AREA IN ACRES |
| | Brinjal | | | | BSFB | | | | Sher shah, Kabir pur | 2 | 2 |
| | Brinjal | | | | Jassid | | | | Sher shah, Kabir pur, Chak 83 M | 3 | 3 |
| | Berseem | 41 | 58 | 5 | Root Rot | Gharyala, Peer Tannu, Khadil, Raja ran | 4 | 4 | | | |
| | | | | | Army Worm | Kotli | 1 | 1 | | | |
| | Napier Grass | 3 | 8 | | | | | | | | |
| | Canola | 2 | 10 | 6 | Aphid | | | | Bahadur pur | 1 | 6 |
| | Bilangoo | 3 | 9 | | | | | | | | |
| | Sunflower | 8 | 39 | 35 | Whitefly | | | | Rakh RB, Punjani, Basti mithu, Basti La | 4 | 13 |
| | | | | | Army Worm | Khan Bela, Haveli Daha, Shehni | 4 | 22 | | | |
| | Wild Oat | 1 | 2 | | | | | | | | |
| | Lucern | 9 | 10 | 7 | Root Rot | | | | | | |
| | | | | | Army Worm | 5 Faiz, Rang ali, Jhok wains, Mirali wal | 6 | 7 | | | |
| Khanewal | Mango | 17 | 149 | 89 | Hopper | | | | 162/10R, 102/10R, 151/10R, Okanawa | 8 | 62 |
| | Mango | | | | Scales | | | | 102/10R, 114/10R, Okanawala, Haider | 6 | 43 |
| | Mango | | | | Galls | | | | 162/10R, 119/10R, 114/10R, 102/10R | 16 | 49 |
| | Mango | | | | Midges | | | | 162/10R, 102/10R, 151/10R, 126/15L | 7 | 61 |
| | Mango | | | | Anthracoese | 162/10R, 102/10R, 114/10R, 151/10 | 16 | 87 | | | |
| | Mango | | | | Powdery Mildew | 102/10R, 111/15L | 2 | 50 | | | |
| | Mango | | | | malformation | 102/10R, 114/10R, 151/10R, 5 Kassi, 5 | 13 | 65 | | | |
| | Mango | | | | Decline | 162/10R, Okanwala, 111/15L | 3 | 12 | | | |
| | Citrus | 15 | 108 | 78 | Psylla | 109/10R, 5Kassi | 2 | 10 | 18/8BR, 111/15L, 126/15L, 14V, Okanw | 11 | 46 |
| | Citrus | | | | Leaf Miner | | | | 18/8BR, 127/15L, 111/15L, 126/15L, 13 | 12 | 68 |
| | Citrus | | | | Wither Tip | 168/110R, 146/10R, 119/10R, 140/10 | 12 | 68 | | | |

| DISTRICT | CROPS | No. of Spots | Area Surveyed (Acre) | Area Affected (Acre) | INSECT PEST/ DISEASE | AFFECTED LOCALITIES/ AREA IN ACRES | | | | | |
|----------|--------------|--------------|----------------------|----------------------|----------------------|--------------------------------------|------------------------------------|---------------|-----------------------------------|------------------------|---------------|
| | | | | | | ABOVE ETL LOCALITIES | No. of Spots Above ETL (Hot Spots) | AREA IN ACRES | BELOW ETL LOCALITIES | No. of Spots Below ETL | AREA IN ACRES |
| | Citrus | | | | Canker | 5Kassi,111/151,18/8BR | 3 | 9 | | | |
| | Citrus | | | | Decline | Hayat Pur, 5Kassi,127/15L | 3 | 20 | | | |
| | Citrus | | | | Gummosis | 119/10R, 14/V, 111/15L, 127/15L | 4 | 20 | | | |
| | Guava | 4 | 16 | 6 | Fruit Fly | | | | 133/16L,18/8BR | 2 | 4 |
| | Guava | | | | Anthracnose | 3/8AR | 1 | 2 | | | |
| | Bottle Gourd | 1 | 4 | 4 | Downy Mildew | Hashmat Marali | 1 | 4 | | | |
| | Bitter Gourd | 1 | 3 | | | | | | | | |
| | Ash Gourd | 1 | 1 | 1 | Whitefly | | | | 130/15L | 1 | 1 |
| | Capsicum | 1 | 4 | | | | | | | | |
| | Cabbage | 1 | 1 | | | | | | | | |
| | Cucumber | 1 | 5 | | | | | | | | |
| | Chillies | 2 | 6 | | | | | | | | |
| | Onion | 8 | 17 | 14 | Thrips | Hayt Pur, rahim Shah, Sham Kot, Hash | 5 | 14 | 133/16L,5Kassi,134/16L | 3 | 3 |
| | Melon | 1 | 10 | 10 | | | | | Hayat Pur | 1 | 10 |
| | Okra | 1 | 1 | | | | | | | | |
| | Pumpkin | 4 | 8 | 5 | Downy Mildew | Hayt Pur,111/15R,136/10R | 3 | 6 | | | |
| | | | | | Aphid | 111/10R | | | | 1 | 2 |
| | Tomat | 1 | 4 | | | | | | | | |
| | Berseem | 117 | 210 | 12 | Aphid | | | | 59/10r,2/AH, 176/10R,117/10R,157/ | 10 | 16 |
| | | | | | Army Worm | Kohna,19V,164/10R,151/10R,134/1 | 9 | 16 | | | |
| Vehari | Cucumber | 5 | 16 | | Whitefly | | | | Fada, Dhodha, Arainwahin | 3 | 13 |
| | Onion | 3 | 4 | | Thrips | | | | Fadda, Dhodha, | 3 | 4 |
| | Onion | | | | Purple Blotch | Fadda, Dhoda | 2 | 3 | | | |

| DISTRICT | CROPS | No. of Spots | Area Surveyed (Acre) | Area Affected (Acre) | INSECT PEST/ DISEASE | AFFECTED LOCALITIES/ AREA IN ACRES | | | | | |
|----------|--------------|--------------|----------------------|----------------------|----------------------|---|------------------------------------|---------------|--|------------------------|---------------|
| | | | | | | ABOVE ETL LOCALITIES | No. of Spots Above ETL (Hot Spots) | AREA IN ACRES | BELOW ETL LOCALITIES | No. of Spots Below ETL | AREA IN ACRES |
| | Tomato | 2 | 6 | | | | | | | | |
| | Bitter gourd | 1 | 5 | | | | | | | | |
| | Guava | 1 | 2 | 2 | Anthraco | 114/WB | 1 | 2 | | | |
| | Guava | | | | Wither Tip | 114/WB | 1 | 2 | | | |
| | | | | | Fruit Fly | | | | 114/WB | 1 | 2 |
| | Berseem | 120 | 126 | 3 | Army worm | Qadir Pur, Soromore,195/EB | 3 | 3 | | | |
| | Mango | 7 | 40 | 28 | Galls | | | | 32/WB,Shtab Garh,Tiba Sultan Pur,529 | 5 | 28 |
| | Mango | | | | Gummosis | 128/EB,529/EB,18/WB,32/WB,Tiba | 7 | 40 | | | |
| | Mango | | | | Anthraco | 18/WB, Tiba Sultan Pur, 529/EB | 3 | 18 | | | |
| | Mango | | | | Scales | | | | Tiba Sultan Pur | 2 | 22 |
| | Mango | | | | Malformation | Tiba Sultabn Pur,128/EB,529/EB,18/ | 5 | 30 | | | |
| | Mango | | | | Midges | | | | 76/WB,Jungal Brali | 2 | 27 |
| | | | | | Hopper | | | | 32/WB, Sultanpur,Shatab Garh | 3 | 26 |
| | | | | | Powdery Mildew | | | | 32/WB, Shatab Garh | 2 | 24 |
| | Citrus | 7 | 29 | 25 | Leaf Miner | | | | 18/WB,Tiba Sultan Pur, 403/EB | 3 | 15 |
| | Citrus | | | | Psylla | | | | 18/WB,Tiba Sultan Pur, 403/EB | 3 | 15 |
| | Citrus | | | | Citrus Canker | 32/WB,18/WB,Tiba Sultan Pur, 158/ | 6 | 24 | | | |
| | Citrus | | | | Slow Decline | 76/WB, Tiba Sultan Pur, 403/Eb | 3 | 12 | | | |
| | Citrus | | | | Gummosis | 158/EB,403/EB, | 2 | 5 | | | |
| | Citrus | | | | Wither Tip | 32/WB,18/WB,Tiba Sultan Pur, 158/ | 7 | 24 | | | |
| Lodhran | Mango | 8 | 97 | 97 | Scales | | | | Dera Jand, Sumra, Jalla Arrain, Saran wa | 7 | 83 |
| | Mango | | | | Mango hopper | | | | Sumra,Saran Wali, Noor Shah Gillani | 3 | 41 |
| | Mango | | | | Galls Insect | | | | Dera Jand, Sumra, Jalla Arrain, Saran wa | 8 | 97 |
| | Mango | | | | Anthraco | Dera Jand, Sumra, Jalla Arrain, Saran v | 8 | 97 | | | |
| | Mango | | | | Powdery Mildew | Jamrani Wah, Noor Shah Gillani | 2 | 24 | | | |

| DISTRICT | CROPS | No. of Spots | Area Surveyed (Acre) | Area Affected (Acre) | INSECT PEST/ DISEASE | AFFECTED LOCALITIES/ AREA IN ACRES | | | | | |
|----------|-------------|--------------|----------------------|----------------------|----------------------|--------------------------------------|------------------------------------|---------------|---------------------------------------|------------------------|---------------|
| | | | | | | ABOVE ETL LOCALITIES | No. of Spots Above ETL (Hot Spots) | AREA IN ACRES | BELOW ETL LOCALITIES | No. of Spots Below ETL | AREA IN ACRES |
| | Mango | | | | Malformation | Jalla Arrain | 1 | 20 | | | |
| | Mango | | | | Gummosis | Sumra | 1 | 14 | | | |
| | Citrus | 9 | 79 | 79 | Psylla | | | | Sumra, Qutub Pur, Pacca | 4 | 25 |
| | Citrus | | | | Leaf Miner | | | | Mundhali, Sumra, 383/WB, 374/WB, Q | 9 | 79 |
| | Citrus | | | | Wither Tip | Mundhali, Sumra, 383/WB, 374/WB, | 9 | 79 | | | |
| | Citrus | | | | Canker | Pacca | 1 | 2 | | | |
| | Citrus | | | | Gummosis | Pacca | 1 | 2 | | | |
| | Guava | 2 | 3 | | Fruit Fly | | | | | | |
| | Berseem | 21 | 26 | 4 | Army Worm | Salsadar, Jalla Arrain, Dhanote | 3 | 4 | | | |
| | Sunflower | 4 | 47 | 3 | Whitefly | | | | Bhutaji | 1 | 3 |
| | Brinjal | 7 | 12 | 12 | Jassid | Bhutaji, Jamrani Wah | 2 | 6 | Pathan wala, Sandhi wala, Jamrani wah | 5 | 6 |
| | Brinjal | | | | Whitefly | | | | Jamrani wah, Rapper | 3 | 4 |
| | Cauliflower | 2 | 6 | | | | | | | | |
| | Chillies | 11 | 27 | 17 | Jassid | | | | Malik Pur | 1 | 10 |
| | | | | | Whitefly | | | | Dhanote | 1 | 3 |
| | | | | | Virus | Rapper, Wahi No, Dhanote, Malik Pur | 5 | 19 | | | |
| | Cucumber | 8 | 36 | 30 | Whitefly | | | | Dhanote, Rapper, Wahi No | 6 | 30 |
| | | | | | Downy Mildew | Dhanote, Rapper, Wahi No | 6 | 30 | | | |
| | Musk Melon | 6 | 89 | 88 | Whitefly | | | | Beela Wagha, Rapper | 5 | 88 |
| | | | | | Fruit Fly | | | | Beela Wagha | 1 | 12 |
| | Onion | 10 | 78 | 78 | Thrips | 15/M, Beela, Wagha, Jhanbi Wahin, Dh | 5 | 71 | Kondi, Beela Wagha, Hardo Thaheem, A | 5 | 7 |

| DISTRICT | CROPS | No. of Spots | Area Surveyed (Acre) | Area Affected (Acre) | INSECT PEST/ DISEASE | AFFECTED LOCALITIES/ AREA IN ACRES | | | | | |
|----------|--------------|--------------|----------------------|----------------------|----------------------|--------------------------------------|------------------------------------|---------------|------------------------|------------------------|---------------|
| | | | | | | ABOVE ETL LOCALITIES | No. of Spots Above ETL (Hot Spots) | AREA IN ACRES | BELOW ETL LOCALITIES | No. of Spots Below ETL | AREA IN ACRES |
| | Onion | | | | Downy Mildew | Kondi, 15/M, Bella Wagha, Jhanbi Wal | 8 | 75 | | | |
| | Onion | | | | Purple Blotch | Jhanbi Wahin | 1 | 50 | | | |
| | Pumpkin | 2 | 3 | 3 | Whitefly | | | | Ismail Pur, Rapper | 2 | 3 |
| | | | | | Beetles | | | | Ismail Pur, Rapper | 2 | 3 |
| | Ridge Gourd | 4 | 8 | | Whitefly | | | | | | |
| | Tomato | 6 | 18 | 11 | American Bollworm | | | | Dhanote | 1 | 5 |
| | | | | | Whitefly | | | | Hardo Thaheem, Dhanote | 3 | 11 |
| | Water Melon | 1 | 8 | | | | | | | | |
| Sahiwal | Barseem | 65 | 95 | 8 | Root Rot | 114/12L, 108/7R, 17/14L | 3 | 7 | | | |
| | Barseem | | | | Army Worm | Churi Khokharan | 1 | 1 | | | |
| | Pumpkin | 3 | 4 | 1 | White fly | | | | 102/12L | 1 | 1 |
| | Brinjal | 1 | 1 | 1 | Jassid | | | | 25/14L | 1 | 1 |
| | Bitter Gourd | 1 | 1 | 1 | Aphid | | | | 21/14L | 1 | 1 |
| | Apple Gourd | 1 | 3 | 1 | Jassid | | | | 95/12L | 1 | 1 |
| | Onion | 1 | 1 | 1 | Thrips | | | | Harappa City | 1 | 1 |
| | Garlic | 1 | 1 | 0 | | | | | | | |
| | Chillies | 1 | 1 | 1 | Wilt | 138/9L | 1 | 1 | | | |
| | Water Melon | 1 | 6 | 6 | Fruit Fly | 52/GD | 1 | 6 | | | |
| | Tomato | 1 | 1 | 1 | Aphid | | | | 52/GD | 1 | 1 |
| | Citrus | 4 | 20 | 14 | Leaf Miner | | | | 136/9L,114/12L,111/7R | 4 | 14 |
| | Citrus | | | | Psylla | | | | 136/9L,114/12L,111/7R | 4 | 14 |
| | Citrus | | | | Wither Tip | 136/9L,114/12L,111/7R | 4 | 14 | | | |

| DISTRICT | CROPS | No. of Spots | Area Surveyed (Acre) | Area Affected (Acre) | INSECT PEST/ DISEASE | AFFECTED LOCALITIES/ AREA IN ACRES | | | | | |
|-----------|-------------|--------------|----------------------|----------------------|----------------------|------------------------------------|------------------------------------|---------------|-----------------------|------------------------|---------------|
| | | | | | | ABOVE ETL LOCALITIES | No. of Spots Above ETL (Hot Spots) | AREA IN ACRES | BELOW ETL LOCALITIES | No. of Spots Below ETL | AREA IN ACRES |
| | Citrus | | | | Canker | 136/9L,111/7R | 3 | 11 | | | |
| | Citrus | | | | Slow Decline | 114/12L,111/7R | 2 | 7 | | | |
| | Mango | 4 | 45 | 18 | Midges | | | | 89/6R,181/9L | 2 | 8 |
| | Mango | | | | Hopper | | | | 89/6R,181/9L,180/9L | 4 | 18 |
| | Mango | | | | Fruit Fly | | | | 89/6R,181/9L,180/9L | 4 | 18 |
| | Mango | | | | Anthracnose | 89/6R,181/9L,180/9L | 4 | 18 | | | |
| | Mango | | | | Malformation | 89/6R,181/9L,180/9L | 4 | 18 | | | |
| | Guava | 4 | 11 | 7 | Fruit Fly | | | | 136/9L,108/7R,118/12L | 4 | 7 |
| | Guava | | | | Anthracnose | 136/9L,108/7R,118/12L | 4 | 7 | | | |
| Pakpattan | Apple Gourd | 1 | 3 | 3 | White Fly | | | | 20/SP | 1 | 3 |
| | Brinjal | 2 | 5 | 3 | Mites | | | | 66/EB | 2 | 3 |
| | Chillies | 4 | 9 | 9 | White fly | | | | 66/EB, 67/EB | 3 | 6 |
| | Chillies | | | | Aphid | | | | 66/EB | 1 | 3 |
| | Cucumber | 4 | 8 | 2 | Aphid | | | | 67/EB | 1 | 2 |
| | Garlic | 3 | 10 | 9 | Downy Mildew | Bunaga hayat | 1 | 6 | | | |
| | Garlic | | | | Thrips | | | | 20/SP | 1 | 3 |
| | Melon | 3 | 15 | 15 | Aphid | | | | 66/Eb, Mehdi Khan | 3 | 15 |
| | Onion | 2 | 3 | 2 | Thrips | | | | Machi Singh | 1 | 2 |
| | Tomato | 2 | 5 | 5 | Downy Mildew | 20/SP | 1 | 3 | | | |
| | Tomato | | | | Late Blight | 58/SP | 1 | 2 | | | |
| | Barseem | 36 | 43 | 3 | Root Rot | 20/SP, 38/EB, 18/EB | 3 | 3 | | | |
| | Guava | 3 | 11 | 7 | Anthracnose | 57/EB, 19/EB | 2 | 7 | | | |
| | Guava | | | | Fruit Fly | | | | 57/EB, 19/EB | 2 | 7 |
| | Mango | 2 | 10 | 10 | Anthracnose | 50/EB, Pati Pur | 2 | 10 | | | |

| DISTRICT | CROPS | No. of Spots | Area Surveyed (Acre) | Area Affected (Acre) | INSECT PEST/ DISEASE | AFFECTED LOCALITIES/ AREA IN ACRES | | | | | |
|----------|--------------|--------------|----------------------|----------------------|----------------------|------------------------------------|------------------------------------|---------------|----------------------|------------------------|---------------|
| | | | | | | ABOVE ETL LOCALITIES | No. of Spots Above ETL (Hot Spots) | AREA IN ACRES | BELOW ETL LOCALITIES | No. of Spots Below ETL | AREA IN ACRES |
| | Mango | | | | Malformation | 50/EB, Pati Pur | 2 | 10 | | | |
| | Mango | | | | Fruit Fly | | | | 50/EB, Pati Pur | 2 | 10 |
| | Mango | | | | Hopper | | | | 50/EB, Pati Pur | 2 | 10 |
| | Citrus | 2 | 6 | 6 | Leaf Miner | | | | 62/EB, Pati Pur | 2 | 6 |
| | Citrus | | | | Psylla | | | | 62/EB, Pati Pur | 2 | 6 |
| | Citrus | | | | Wither Tip | 62/EB, Pati Pur | 2 | 6 | | | |
| | Citrus | | | | Canker | Pati Pur | 1 | 5 | | | |
| Okara | Berseem | 24 | 40 | 10 | Root Rot | 31/2L, 37/GD, 50/2L, Bhuman Shah | 4 | 10 | | | |
| | Bitter Gourd | 1 | 1 | 1 | Aphid | | | | Haray k Kalan | 1 | 1 |
| | Brinjal | 3 | 3 | 1 | Jassid | | | | Haveli Lakha | 1 | 1 |
| | Capsicum | 3 | 3 | 1 | Aphid | | | | Burj Jeway Khan | 1 | 1 |
| | Garlic | 1 | 2 | 1 | Thrips | | | | 37/GD | 1 | 1 |
| | Chillies | 4 | 4 | 1 | White fly | | | | Haveli Lakha | 1 | 1 |
| | Onoin | 2 | 3 | 1 | Thrips | | | | Burj Jeway Khan | 1 | 1 |
| | Tomato | 1 | 1 | 1 | Downy Mildew | Haveli Lakha | 1 | 1 | | | |
| | Citrus | 5 | 12 | 8 | Wither Tip | 23/2L, 49/2L, 31/2RA | 3 | 7 | | | |
| | Citrus | | | | Canker | 49/2L, 31/2RA | 2 | 4 | | | |
| | Citrus | | | | Leaf Miner | | | | 2/1L, 31/2RA | 2 | 3 |
| | Citrus | | | | Psylla | | | | 49/2L, 2/1L | 2 | 3 |
| | Mango | 4 | 12 | 9 | Anthraxnose | 49/2L, 12/1L, 51/2L, 23/2L | 4 | 9 | | | |
| | Mango | | | | Malformation | 49/2L, 12/1L, 51/2L, 23/2L | 4 | 9 | 49/2L | 1 | 3 |
| | Mango | | | | Hopper | | | | 49/2L, 12/1L | 2 | 5 |
| | Mango | | | | Fruit Fly | | | | 49/2L, 12/1L, 51/2L | 3 | 7 |
| | Gauva | 5 | 14 | 8 | Anthraxnose | 49/2L, 32/2L, Karmawala | 3 | 8 | | | |

| DISTRICT | CROPS | No. of Spots | Area Surveyed (Acre) | Area Affected (Acre) | INSECT PEST/ DISEASE | AFFECTED LOCALITIES/ AREA IN ACRES | | | | | |
|------------|--------|--------------|----------------------|----------------------|----------------------|--------------------------------------|------------------------------------|---------------|---|------------------------|---------------|
| | | | | | | ABOVE ETL LOCALITIES | No. of Spots Above ETL (Hot Spots) | AREA IN ACRES | BELOW ETL LOCALITIES | No. of Spots Below ETL | AREA IN ACRES |
| | Gauva | | | | Fruit Fly | | | | 49/2L, 32/2L, Karmawala | 3 | 8 |
| Bahawalpur | Mango | 28 | 684 | 684 | Mango Thrips | | | | Mnajhi wala, Mehrab Wala, 155 NP | 3 | 165 |
| | | | | | Mango Hopper | | | | 13 BC, Nooor Arain, Makhdoom pur , 1 | 13 | 298 |
| | | | | | Scales | | | | 8/BC, Fattu Wali, Sanjar, Khanqah Sah | 18 | 468 |
| | | | | | Galls Insects | | | | 26 BC 13/BC, 8/BC, Fattu Wali, Sanjar | 22 | 499 |
| | | | | | Midges | Khankah shreef , Sanjar | 2 | 20 | Makhdoom pur, Manjhi wala, 155 , 156 | 14 | 432 |
| | | | | | Powdery mildew | Khanqah Shareef , Noor Arin, Mehrab | 8 | 254 | | | |
| | | | | | Anthracoese | Khanqah Sahrif Rama 11/BC, 13/BC, | 29 | 684 | | | |
| | | | | | Malformation | Khanqah Sahrif Rama 11/BC, 13/BC, | 29 | 684 | | | |
| | | | | | Gummosis | Khankah sharif, Noor Arain Makhdo | 11 | 399 | | | |
| | | | | | Decline | 156 NP , 155 NP Makhdoom pur , Me | 6 | 310 | | | |
| | Citrus | 27 | 202 | 202 | Citrus Psylla | | | | , 13 BC Khanu wali , 2BC , Mehrab wali | 23 | 168 |
| | | | | | Leaf Minor | Fattu walai, 1 BC | 2 | 7 | Sanjar , 13 BC 26 BC 1 Bc, Khau Wali Ra | 27 | 202 |
| | | | | | Caterpillar | | | | | | |
| | | | | | Wither tip | Sanjar 13 BC , 18 BC , Khau Wali Ram | 27 | 202 | | | |
| | | | | | Canker | Sanjar, 18 BC 13 BC , Rang Pur 18/B | 12 | 85 | | | |
| | | | | | Gummosis | 35 BC, Sanjar | 2 | 30 | | | |

| DISTRICT | CROPS | No. of Spots | Area Surveyed (Acre) | Area Affected (Acre) | INSECT PEST/ DISEASE | AFFECTED LOCALITIES/ AREA IN ACRES | | | | | |
|----------|------------------|--------------|----------------------|----------------------|----------------------|------------------------------------|------------------------------------|---------------|---|------------------------|---------------|
| | | | | | | ABOVE ETL LOCALITIES | No. of Spots Above ETL (Hot Spots) | AREA IN ACRES | BELOW ETL LOCALITIES | No. of Spots Below ETL | AREA IN ACRES |
| | | | | | Quick decline | Noor Arain , 35 BC | 2 | 18 | | | |
| | Guava | 8 | 59 | 19 | Anthraxnose | 2/BC, 3/BC, Mari Sheikh Shajra | 2 | ,19 | | | |
| | | | | | Fruit fly | | | | 2 BC , Shaikh Shujra | 2 | 17 |
| | Bitter gord | 3 | 5 | 5 | Whitefly | | | | Vislan , Imam shah, Chandrani | 3 | 5 |
| | Brinjal | 3 | 7 | 7 | Fruit Borer | | | | 12 BC , Daevaish, | 2 | 6 |
| | | | | | Whitefly | | | | 12 BC , Daevaish , 102 DB | 3 | 7 |
| | | | | | Jassid | | | | 12 BC , Daevaish , 102 DB | 3 | 7 |
| | Cauli flower | 2 | 2 | 2 | Whitefly | | | | Wahi Qadir Deena | 2 | 2 |
| | Chillies | 5 | 6 | 6 | Whitefly | | | | Tibba Miani, Sheer Garwan, Sahlan Syd | 5 | 6 |
| | | | | | CICV | Tibba Miyani , Garwan | 2 | 2 | | | |
| | Cucumber | 1 | 6 | 6 | Whitefly | | | | Imam Shah , | 1 | 6 |
| | | | | | Downy Mildew | Imam shah | 1 | 6 | | | |
| | Garlic | 1 | 4 | 4 | Thrips | | | | 35 DNB | 1 | 4 |
| | Musk Melon | 1 | 2 | 2 | | | | | Imam Shah | 1 | 2 |
| | Onion | 11 | 35 | 35 | Thrips | Sui vehar | 1 | 15 | Sanjar , Mehrab wala, 147 P, Muhamma | 10 | 20 |
| | | | | | Downy Mildew | Sui vehar | 1 | 15 | | | |
| | Okra | 2 | 2 | | | | | | Uch geelai, 8 BC | 2 | 2 |
| | Onion | 16 | 30.5 | 30.5 | Thrips | 4 BC Sanjar | 2 | 7.5 | 4 BC, Sanjar Wahi Qadir Deena , Shikra | 13 | 13 |
| | | | | | Blight | Shikrani ,147 NP, Muhammad Bux Ma | 5 | 5 | | | |
| | | | | | Downy Mildew | 4 BC | 1 | 1.5 | | | |
| | Pump kin | 1 | 1 | 1 | | | | | 102 DB | 1 | 1 |
| | Tomato | 5 | 6 | 6 | Whitefly | | | | , Sanjar Vislan , 5 DNB , Imam shah | 5 | 6 |
| | | | | | Aphid | | | | Vislan , Sanjar | 2 | 3 |
| | Vegetable Marrow | 2 | 2 | 2 | Whitefly | | | | Imam shah, Chndrani | 2 | 2 |
| | Berseem | 27 | 26.5 | 9 | Whitefly | | | | Fattu wali, 120 DRB , 138 DB, 78 DB , 7 | 8 | 9 |
| | | | | | Army worm | Fattu wali 3, BC | 2 | 4 | | | |
| | Lucerene | 8 | 7 | 3 | Army worm | Gul Dera , Khanu walai, 24 BC | 3 | 3 | | | |
| | Sunflower | 5 | 93 | 79 | Aphid | | | | Fattu Wali ,Sanjar | 3 | 74 |

| DISTRICT | CROPS | No. of Spots | Area Surveyed (Acre) | Area Affected (Acre) | INSECT PEST/ DISEASE | AFFECTED LOCALITIES/ AREA IN ACRES | | | | | |
|--------------|-------------|--------------|----------------------|----------------------|----------------------|---------------------------------------|------------------------------------|---------------|--|------------------------|---------------|
| | | | | | | ABOVE ETL LOCALITIES | No. of Spots Above ETL (Hot Spots) | AREA IN ACRES | BELOW ETL LOCALITIES | No. of Spots Below ETL | AREA IN ACRES |
| | | | | | Whitefly | | | | 4BC | 1 | 5 |
| | Water Melon | 3 | 19 | 17 | Aphid | | | | Mari Qasim Shah | 1 | 12 |
| | | | | | Whitefly | | | | Hoot Wa;la | 1 | 5 |
| Bahawalnagar | Cauliflower | 3 | 3 | 3 | Armyworm | 27/3R, | 1 | 1 | | | |
| | | | | | Aphid | | | | 27/3R, 31/3R | 2 | 2 |
| | Cabbage | 7 | 7 | 7 | Aphid | | | | 37/3R, 48/3R | 3 | 3 |
| | | | | | Armyworm | 94/6r, TC, 70/4r, 58/4R | 4 | 4 | | | |
| | Carrot | 7 | 8 | | | | | | | | |
| | Garlic | 6 | 6 | 6 | Downy Mildew | Mehmood nagar | 1 | 1 | | | |
| | | | | | Balotch | Shera Chitra, 272HR, 204/9r | 5 | 5 | | | |
| | Onion | 10 | 13 | 12 | Balotch | 211/f, 95/F, TC, 272HR, Korra Khu, 8 | 6 | 8 | | | |
| | | | | | Downy Mildew | Behcan bodla, 270HR, Dhani mani | 4 | 4 | | | |
| | | | | | Thrips | 270hr, dhani mani | 2 | 2 | 211/f, 95/F, TC, 272HR, Korra Khu, bel | 8 | 10 |
| | Cucumber | 3 | 5 | 3 | Downymildew | 8fw | 1 | 3 | | | |
| | Spinach | 4 | 4 | 4 | Armyworm | tiba tanki, 270/hr | 2 | 2 | | | |
| | | | | | Aphid | | | | 12G, 41/F | 2 | 2 |
| | Tomato | 2 | 2 | 2 | Aphid | | | | TC, 270HR | 2 | 2 |
| | | | | | White fly | | | | TC, 270HR | 2 | 2 |
| | Corinder | 3 | 3 | | | | | | | | |
| | Stawbery | 1 | 1 | 1 | Downymildew | 8FW | 1 | 1 | | | |
| | | | | | Aphid | | | | 8FW | 1 | 1 |
| | | | | | White fly | | | | 8FW | 1 | 1 |
| | Chillies | 2 | 2 | | | | | | | | |
| | | | | | | | | | | | |
| | Lucern | 80 | 102 | 38 | Aphid | | | | 260hr, 215, 216/9r, 281/7r, 172, 173/ | 33 | 38 |
| | Mustard | 27 | 37 | 21 | Aphid | | | | 274, 238/9r, 3fw, 110, 116/6r, 233/9r | 16 | 21 |
| | | | | | Downey mildew | 44f, 112, 110/6r, 260, 47f, behkan bo | 14 | 20 | | | |

| DISTRICT | CROPS | No. of Spots | Area Surveyed (Acre) | Area Affected (Acre) | INSECT PEST/ DISEASE | AFFECTED LOCALITIES/ AREA IN ACRES | | | | | |
|----------|--------|--------------|----------------------|----------------------|----------------------|--|------------------------------------|---------------|---|------------------------|---------------|
| | | | | | | ABOVE ETL LOCALITIES | No. of Spots Above ETL (Hot Spots) | AREA IN ACRES | BELOW ETL LOCALITIES | No. of Spots Below ETL | AREA IN ACRES |
| | | | | | White rust | 208/9r, 239/9r, 2169r, 44F,134m, | 6 | 7 | | | |
| | | | | | | | | | | | |
| | Guava | 26 | 100 | 50 | Antracnose | 47f, 199/8r, 311hr, jhedua, 281hr, ha | 13 | 50 | | | |
| | | | | | Fruit Borer | | | | 51/4r, mehmoood nagar, bootya wali | 4 | 6 |
| | | | | | Fruit fly | | | | 51/4r, mehmoood nagar, jedua, 311hr, t | 9 | 39 |
| | | | | | Decline | | | | Hafiz wala, 47f, 202/8r, Bootya wali | 4 | 5 |
| | Citrus | 39 | 195 | 161 | Citrus psylla | 150/2L, Basti noshai, 170/7R | 3 | 18 | 1/1r, sayed wala, 207/9r, 211f, 210, 20 | 33 | 167 |
| | | | | | Leaf minor | | | | 150/2l, basti noshai, 1/1r, sayed wala, | 36 | 185 |
| | | | | | Citrus Cankar | 134m, 3fw, 269hr, 201/8r, 206/9r, 17 | 6 | 50 | | | |
| | | | | | Decline | 44f, 269hr, 74/4r | 6 | 38 | | | |
| | | | | | Withertip | 150/2l, basti noshai, 1/1r, sayed wala | 24 | 147 | | | |
| | Mango | 20 | 59 | 54 | Gall midges | | | | Basti Khichia, 211f, 209/9r, 45/3r, 10/ | 10 | 30 |
| | | | | | Mango Hopper | | | | Muhar sharif, 109f, Basti Khichia, 270h | 12 | 38 |
| | | | | | Mealy bug | 209/9r, 211f, 7/1r, basti khichia, 109 | 5 | 16 | | | |
| | | | | | Antracnose | Muhaar Sharif, bastikichia, 311/HR, 2 | 17 | 47 | | | |

| DISTRICT | CROPS | No. of Spots | Area Surveyed (Acre) | Area Affected (Acre) | INSECT PEST/ DISEASE | AFFECTED LOCALITIES/ AREA IN ACRES | | | | | |
|----------|--------------|--------------|----------------------|----------------------|----------------------|--|------------------------------------|---------------|--------------------------------------|------------------------|---------------|
| | | | | | | ABOVE ETL LOCALITIES | No. of Spots Above ETL (Hot Spots) | AREA IN ACRES | BELOW ETL LOCALITIES | No. of Spots Below ETL | AREA IN ACRES |
| | | | | | Decline | 211f, 270hr, 209/9R, Basti Khichian, 2 | 5 | 10 | | | |
| | | | | | Powdery Mildew | Basti Khichian,, 209/9R, 10/1R, Booty | 7 | 23 | | | |
| R Y Khan | Ashgourd | 1 | 2 | 2 | Aphid | | | | Jamal Din Wali | 1 | 2 |
| | Bitter gourd | 1 | 6 | 4 | Fruit Fly | 78/P | 1 | 4 | | | |
| | | | | | Downy Meldow | 78/P | 1 | 4 | | | |
| | Brinjal | 2 | 5 | 5 | Jassid | | | | Jamal Din Wali | 1 | 3 |
| | | | | | White Fly | | | | Muhammad Khan | 1 | 2 |
| | | | | | Mite | | | | Muhammad Khan | 1 | 2 |
| | Cabbage | 1 | 1 | 1 | White Fly | | | | 18/A | 1 | 1 |
| | Chillies | 8 | 14 | 11 | Jassid | | | | Jamal Din Wali | 1 | 5 |
| | | | | | White Fly | | | | Kotla Madhu ,18/A ,14/A,Jamal Din Wa | 6 | 9 |
| | | | | | Aphid | | | | Kotla Madhu ,18/A ,14/A,Jamal Din Wa | 5 | 7 |
| | | | | | Virus | | | | Jangi,18/A | 2 | 3 |
| | Coriander | 1 | 2 | | | | | | | | |
| | OKRA | 2 | 2 | 2 | Jassid | | | | Fathe Pur Qureshian | 1 | 1 |
| | | | | | White Fly | | | | Trenda Saway Khan | 1 | 1 |
| | | | | | Aphid | | | | Fathe Pur Qureshian | 1 | 1 |
| | Onion | 16 | 30 | 26 | Thrips | Trenda Saway Khan ,18/A ,Murad Pur | 3 | 3 | 78/p,Channa ,tibi Gul Muhammad ,Tren | 8 | 17 |
| | | | | | Downy Meldow | Trenda Saway Khan ,78/P,Channa ,Tib | 13 | 24 | | | |
| | Spinach | 1 | 1 | | | | | | | | |
| | Tindagourd | 1 | 4 | 4 | Leaf Miner | | | | Grahi | 1 | 4 |
| | | | | | Downy Meldow | Grahi | 1 | 4 | | | |
| | Tomato | 6 | 18 | 13 | Fruit Borer | | | | Kotla Madhu ,Kalkan | 2 | 12 |
| | | | | | White Fly | | | | Kotla Madhu ,Jamal Din Wali | 2 | 9 |

| DISTRICT | CROPS | No. of Spots | Area Surveyed (Acre) | Area Affected (Acre) | INSECT PEST/ DISEASE | AFFECTED LOCALITIES/ AREA IN ACRES | | | | | |
|----------|---------------------|--------------|----------------------|----------------------|----------------------|---------------------------------------|------------------------------------|---------------|--|------------------------|---------------|
| | | | | | | ABOVE ETL LOCALITIES | No. of Spots Above ETL (Hot Spots) | AREA IN ACRES | BELOW ETL LOCALITIES | No. of Spots Below ETL | AREA IN ACRES |
| | Bottle Gourd | 6 | 11 | 4 | Whitefly | | | | Paigha, Rindan Jhok Utra | 3 | 4 |
| | Brinjal /Egg plants | 1 | 1 | 1 | Apjid | | | | Samina Sadat | 1 | 1 |
| | | | | | Brinjal Bore | | | | Samina Sadat | 1 | 1 |
| | Chillies | 1 | 1 | | | | | | | | |
| | Cucumber | 1 | 1 | | | | | | | | |
| | Garlic | 2 | 2 | | | | | | | | |
| | Okra | 2 | 2 | 1 | Aphid | | | | Bari Dalail | 1 | 1 |
| | Onion | 8 | 16 | 16 | Thrips | Basti Peehar | 1 | 1 | Samina Sadaat, hak Qaima Choti Zareer | 7 | 15 |
| | Pumpkin | 2 | 4 | | | | | | | | |
| | Tobaco | 3 | 11 | 11 | Aphid | | | | Mzarai Chowk, Basti Lound | 3 | 11 |
| | | | | | Black Wart | Mzarai Chowk | 1 | 3 | | | |
| | | | | | Leaf Curl Virus | Mzarai Chowk, Basti Lound | 3 | 11 | | | |
| | Sunflower | 6 | 30 | 30 | Whitefly | | | | Sanjar Saeedan | 3 | 23 |
| | Lucerne | 55 | 40 | 25 | Armyworm | Paigha, Qaim Wala,Mamoori, Zo Mah | 30 | 25 | | | |
| | Berseem | 70 | 55 | 20 | Armyworm | Paigha, Qaim Wala,Mamoori, Zo Mah | 30 | 25 | | | |
| M. Garh | Mango | 39 | 345 | 345 | Anthracnose | Bhutta Pur, Dogar Klasra, Pawar Shun | 39 | 345 | | | |
| | | | | | Malformation | Bhutta Pur, Dogar Klasra, Pawar Shun | 16 | 102 | | | |
| | | | | | Gummosis | Malook Wala, Hafeez Wala, Easan Wal | 10 | 52 | | | |
| | | | | | DECLINE | Mahgal Wala, Wains, Bandy Shah, Baq | 5 | 19 | | | |
| | | | | | Powdery | Mahgal Wala, Easan Wala | 2 | 21 | | | |
| | | | | | Hoppers | Mahgal Wala, Hafeez Wala, Bandy Sha | 3 | 17 | Bhutta Pur, Pawar Shumali, Kamal Pur, | 14 | 80 |
| | | | | | Scales | Malook Wala | 1 | 5 | Bhutta Pur, Dogar Klasra, Mahgal Wala | 15 | 147 |
| | | | | | Galls | | | | Bhutta Pur, Pawar Shumali, Kamal Pur, | 16 | 102 |
| | | | | | Midges | | | | Bhutta Pur, Dogar Klasra, Kamal Pur, M | 9 | 51 |
| | Guava | 13 | 28 | | Anthracnose | Piro Wali, Bandy Shah, Sher Sultan, M | 7 | 17 | | | |
| | | | | | Fruit Fly | | | | Sher Sultan, Makwal, Bair Band, Mahga | 6 | 14 |

| DISTRICT | CROPS | No. of Spots | Area Surveyed (Acre) | Area Affected (Acre) | INSECT PEST/ DISEASE | AFFECTED LOCALITIES/ AREA IN ACRES | | | | | |
|----------|-------------------|--------------|----------------------|----------------------|----------------------|--|------------------------------------|---------------|---|------------------------|---------------|
| | | | | | | ABOVE ETL LOCALITIES | No. of Spots Above ETL (Hot Spots) | AREA IN ACRES | BELOW ETL LOCALITIES | No. of Spots Below ETL | AREA IN ACRES |
| | | | | | Leaf Folder | | | | Mahgal Wala | 1 | 1 |
| | | | | | Army Worm | Hafeez Wala | 1 | 1 | | | |
| | Citrus | 15 | 53 | 53 | Leaf Miner | Meela Chacha, Bagh Wali | 2 | 23 | Bakaini, Dinga Korai, Wains, Jhalarain, | 13 | 30 |
| | | | | | Psylla | Baqir Shah | 1 | 1 | Dinga Korai, Wains, Meela Chacha, Jhal | 8 | 38 |
| | | | | | Withertip | Bakaini, Dinga Korai, Wains, Meela Ch | 8 | 42 | | | |
| | | | | | Gumosis | Dinga Korai, Wains | 2 | 7 | | | |
| | | | | | Decline | Wains | 1 | 4 | | | |
| | | | | | Canker | Tibi Arain | 1 | 1 | | | |
| | Berseem | 132 | 145 | 31 | Army Worm | Yaki Wala, Kotla Agar, Gul Wala, Chak | 11 | 12 | | | |
| | | | | | Aphid | | | | bandy Shah, Ghalwan, Yaki Wala, Khan | 4 | 6 |
| | | | | | Leaf Miner | | | | Ghalwan, Agar, Bakaini I | 3 | 3 |
| | | | | | Sanils | | | | bandy Shah, Ghalwan, Khanani | 3 | 3 |
| | | | | | Root Rot | Jhugi Wala, Kotla Sultan Shah, Alu Rid | 7 | 7 | | | |
| | Canola/Raya/Musta | 27 | 62 | 11 | Aphid | | | | Khanani, 525TDA, Jaisal Wahin, Usman | 5 | 11 |
| | Corriander | 2 | 2 | | | | | | | | |
| | Okra | 4 | 4 | 4 | Aphid | | | | Mutafarqa | 1 | 1 |
| | | | | | Jassid | | | | Mutafarqa, Alu Rid | 2 | 2 |
| | | | | | Whitefly | | | | Alu Rid, 645 TDA | 3 | 3 |
| | Onion | 11 | 13 | 8 | Thrips | | | | Piro Wali, Bandy Shah, Alu Rid, 645 TD | 6 | 6 |
| | | | | | Blight | Beely Wala | 2 | 2 | | | |
| | Potato | 1 | 1 | | | | | | | | |
| | Pumpkin | 6 | 6 | 4 | Blight | Taleeri | 1 | 1 | | | |
| | | | | | Red Pumpkin Beetle | | | | Bandy Shah, 645TDA | 3 | 3 |
| | Tomato | 7 | 8 | 3 | Jassid | | | | Panjgrain, Usman Korea | 2 | 2 |
| | | | | | Wilt | 533TDA | 1 | 1 | | | |
| | | | | | Blight | Panjgrain | 1 | 1 | | | |

| DISTRICT | CROPS | No. of Spots | Area Surveyed (Acre) | Area Affected (Acre) | INSECT PEST/ DISEASE | AFFECTED LOCALITIES/ AREA IN ACRES | | | | | |
|----------|------------|--------------|----------------------|----------------------|----------------------|-------------------------------------|------------------------------------|---------------|---|------------------------|---------------|
| | | | | | | ABOVE ETL LOCALITIES | No. of Spots Above ETL (Hot Spots) | AREA IN ACRES | BELOW ETL LOCALITIES | No. of Spots Below ETL | AREA IN ACRES |
| | | | | | Aphid | | | | Ghazanfargarh | 1 | 1 |
| | Tori | 3 | 3 | | | | | | | | |
| | Brinjal | 2 | 2 | 2 | White Fly | | | | Rajanpur I | 2 | 2 |
| Rajanpur | Cabbage | 1 | 1 | | | | | | | | |
| | Chillies | 2 | 2 | 2 | Aphid | | | | Tatarwala, Basti Cheena | 2 | 2 |
| | Cucumber | 2 | 4 | 2 | White Fly | | | | Tatarwala | 2 | 2 |
| | Okra | 1 | 1 | 1 | White Fly | | | | Mutafariq Mazari | 1 | 1 |
| | Onion | 8 | 7 | 4 | Thrips | | | | Tatarwala, Basti Cheena, Rajanpur II, W | 4 | 4 |
| | Pumpkin | 2 | 3 | 1 | Red Pumpkin Beetle | | | | Tatarwala | 1 | 1 |
| | | | | 1 | White Fly | | | | Kotla Hussain | 1 | 1 |
| | Ridgegourd | 4 | 4 | 2 | White Fly | | | | Rajanpur I, Mutafariq Mazari | 2 | 2 |
| | | | | 1 | Aphid | | | | Rajanpur I | 1 | 1 |
| | Spinach | 3 | 3 | 1 | Jassid | | | | Kotla Hussain | 1 | 1 |
| | | | | 2 | Aphid | | | | Rajanpur II, Kotla Esan | 2 | 2 |
| | Tomato | 1 | 1 | | | | | | | | |
| | Berseem | 200 | 209 | 3 | Armyworm | Chak Ladh, Mouza Dhandla, Jagir Gab | 5 | 5 | | | |
| | | | | | Aphid | | | | Kotla Hassan Shsh, Koharwali, Kotla M | 16 | 16 |
| | | | | 9 | Whitefly | | | | Basti Mir Haji, Chak Ladh, Jhandi Mazar | 5 | 5 |
| | Tobacco | 10 | 72 | 13 | Late Blight | Polewah | 1 | 2 | Polewah, Mahal Makwal, Kotla Dewan | 5 | 11 |
| | | | | | Aphid | | | | Tatarwala, Polewala, Mahal Makwal, K | 5 | 10 |
| | Mango | 7 | 34 | 17 | Hopper | | | | Shah Nawaz Pura, Dhengan, Murghai, V | 7 | 17 |
| | | | | | Galls | | | | Wang | 1 | 2 |
| | | | | | Anthraconose | Dhingan, Umar Kot | 2 | 6 | | | |
| | | | | | Powdery Mildew | Dhingan, Wang | 2 | 11 | | | |
| | | | | | Malformation | Dhingan, Wang, Umar Kot | 3 | 8 | | | |
| | | | | | Gummosis | Shah Nawaz Pura, Dhengan, Murghai, | 6 | 16 | | | |

| DISTRICT | CROPS | No. of Spots | Area Surveyed (Acre) | Area Affected (Acre) | INSECT PEST/ DISEASE | AFFECTED LOCALITIES/ AREA IN ACRES | | | | | |
|----------|------------|--------------|----------------------|----------------------|----------------------|---------------------------------------|------------------------------------|---------------|--|------------------------|---------------|
| | | | | | | ABOVE ETL LOCALITIES | No. of Spots Above ETL (Hot Spots) | AREA IN ACRES | BELOW ETL LOCALITIES | No. of Spots Below ETL | AREA IN ACRES |
| | | | | | Decline | Dhingan | 1 | 1 | | | |
| | Tinda | 1 | 1 | 1 | Aphid | | | | C/109 TDA | 1 | 1 |
| Layyah | CABBAGE | 1 | 0.25 | 0.25 | Aphid | | | | KAROR NASHEB | 1 | 0.25 |
| | | | | | Army worm | KAROR NASHEB | 1 | 0.25 | | | |
| | CUCUMBER | 1 | 2 | 2 | Fruit Fly | | | | 84 TDA | 1 | 2 |
| | | | | | Downy Mildew | 84 TDA | 1 | 2 | | | |
| | Chilli | 13 | 28 | 9 | Whitefly | | | | Sarishta Nashaib, Karral Azeem Thal Ja | 5 | 6 |
| | | | | | Red Pumpkin Beetle | | | | C/85 A TDA | 1 | 2 |
| | | | | | Aphid | | | | C/85 A TDA | 1 | 2 |
| | | | | | Root Rot | Shah Wala, Kharral Azeem Thal Jandi | 3 | 3 | C/85 A TDA | 1 | 2 |
| | GARLIC | 1 | 0.25 | 0.25 | Purple Blotch | C/85 A TDA | 1 | 0.25 | | | |
| | GARLIC | 1 | 0.25 | | Thrips | | | | C/85 A TDA | 1 | 0.25 |
| | Barseem | 30 | 13 | 2 | Rotting | | | | Jaisal Nashaib, 150/TDA, 433/TDA, 94, | 4 | 2 |
| | LUCERN | 62 | 50 | 20 | Army Worm | 144, 125, 153, 128-A, 102-C, 101-C, 9 | 10 | 10 | | | |
| | | | | | Aphid | | | | 144, 125, 153, 128-A, 102-C, 101-C, 95 | 12 | 10 |
| | Toori | 1 | 1 | 1 | Downy Mildew | KAROR NASHEB | 1 | 1 | | | |
| | | | | | Aphid | | | | KAROR NASHEB | 1 | 1 |
| | | | | | Red Pumpkin Beetle | | | | KAROR NASHEB | 1 | 1 |
| | OKRA | 4 | 5 | 3 | Jassid | | | | Sarishta Nashaib, 94-C/TDA | 3 | 3 |
| | Onion | 20 | 10 | 4 | Thrips | | | | Sarishta Nashaib, KAROR NASHEB, 94 | 4 | 4 |
| | | | | | Purple Blotch | C/109, 94 TDA | 2 | 2 | | | |
| | SUGAR BEET | 30 | 32 | 5 | Army worm | C/85 A TDA | 1 | 2 | | | |
| | | | | | Aphid | | | | C/85 A , 109TDA | 2 | 4 |
| | Sunflower | 62 | 63 | 3 | Army Worm | C/85 A TDA | 1 | 2 | | | |
| | | | | | Whitefly | | | | C/101 A TDA | 1 | 1 |
| | | | | | Aphid | | | | C/85 A TDA, C/101 TDA | 2 | 3 |

| DISTRICT | CROPS | No. of Spots | Area Surveyed (Acre) | Area Affected (Acre) | INSECT PEST/ DISEASE | AFFECTED LOCALITIES/ AREA IN ACRES | | | | | |
|----------|-------------|--------------|----------------------|----------------------|----------------------|---|------------------------------------|---------------|--|------------------------|---------------|
| | | | | | | ABOVE ETL LOCALITIES | No. of Spots Above ETL (Hot Spots) | AREA IN ACRES | BELOW ETL LOCALITIES | No. of Spots Below ETL | AREA IN ACRES |
| | TOMATO | 1 | 2 | 2 | Aphid | | | | KAROR NASHEB | 1 | 2 |
| | WATERMELON | 1 | 1 | 1 | Red Pumpkin Beetle | | | | C/109 TDA | 1 | 1 |
| | | | | | Aphid | | | | C/109 TDA | 1 | 1 |
| | Guava | 5 | 6 | 5 | Fruitfly | | | | Bait Dewaan, 339-A/TDA, 109-C, 260-C | 5 | 5 |
| | | | | | Withertip | Bait Dewaan, 339-A, 260-C/TDA | 3 | 3 | | | |
| | Citrus | 25 | 127 | 81 | Psylla | 174/TDA, 95-C/ML | 2 | 5 | 144, 125, 153, 128-A, 102-C, 101-C, 95 | 15 | 49 |
| | | | | | Leaf Miner | | | | 125, 174, 153, 133, 128-A, 102-C, 101-C | 16 | 59 |
| | | | | | Aphid | | | | 174, 102-C, 101-C, 95-C, 94-A, 350-C/TDA | 7 | 20 |
| | | | | | Wither Tip | 125, 174, 128-A, 101-C, 95-C, 116-C, 95-C | 10 | 37 | | | |
| | | | | | Canker | 174, 101-C, 95-C, 94-C, 350-C/TDA | 6 | 19 | | | |
| | | | | | Gumosis | 125, 94-A, 309-C, 329-C/TDA | 4 | 15 | | | |
| | | | | | Slow Decline | 125, 153, 128-A, 95-C, 116-C, 94-A, 309-C | 8 | 8Plants | | | |
| | Mango | 3 | 21 | 12 | Hopper | | | | Jaisal Nashaib, Kharral Azeem Nashaib, | 3 | 12 |
| | | | | | Midges | | | | Jaisal Nashaib, Kharral Azeem Nashaib, | 3 | 12 |
| | | | | | Anthracoese | Jaisal Nashaib | 1 | 2 | | | |
| | | | | | Powdery Mildew | Kharral Azeem Nashaib, Basti Qazi | 2 | 10 | | | |
| | | | | | Malformation | Jaisal Nashaib, Kharral Azeem Nashaib | 3 | 12 | | | |
| Lahore | Apricot | 1 | 2 | 0 | | | | | | | |
| | Cabbage | 4 | 7 | 1 | Blight | Jandiala | 1 | 1 | | | |
| | Capsicum | 2 | 6 | 0 | | | | | | | |
| | Cauliflower | 2 | 5 | 0 | | | | | | | |
| | Garlic | 1 | 2 | 0 | | | | | | | |
| | Watermelon | 1 | 2 | 1 | Aphid | | | | Jandiala | 1 | 1 |
| | Onion | 1 | 0.6 | 0 | | | | | | | |
| | Pumpkin | 3 | 11 | 0 | | | | | | | |
| | Peach | 2 | 7 | 0 | | | | | | | |

| DISTRICT | CROPS | No. of Spots | Area Surveyed (Acre) | Area Affected (Acre) | INSECT PEST/ DISEASE | AFFECTED LOCALITIES/ AREA IN ACRES | | | | | |
|-------------|--------------|--------------|----------------------|----------------------|----------------------|------------------------------------|------------------------------------|---------------|-------------------------|------------------------|---------------|
| | | | | | | ABOVE ETL LOCALITIES | No. of Spots Above ETL (Hot Spots) | AREA IN ACRES | BELOW ETL LOCALITIES | No. of Spots Below ETL | AREA IN ACRES |
| | Sponge gourd | 5 | 8 | 1 | Aphid | | | | Maraka | 1 | 1 |
| | Sponge gourd | | | 2 | Downy mildew | Khud Pur | 1 | 2 | | | |
| | Sponge gourd | | | 1 | Mosaic Virus | Khud Pur | 1 | 1 | | | |
| | Strawbeery | 2 | 5.36 | 0 | | | | | | | |
| | Tomato | 4 | 9 | 2 | Aphid | | | | Kharak, Ganjay Sinduwan | 2 | 2 |
| | Sorghum | 2 | 4 | 2 | Shoot fly | Rangeel Pur | 1 | 2 | | | |
| | yams | 1 | 1 | 0 | | | | | | | |
| | Spinach | 1 | 1 | 0 | | | | | | | |
| | Berseem | 28 | 130 | 5 | Root rot | Narwar, Rangeelpur, Kingra | 3 | 5 | | | |
| | Chillies | 5 | 54 | 4 | Leaf curl Virus, | Jandiala | 2 | 4 | | | |
| | Chillies | | | 2 | Aphid | | | | Bhiseen | 1 | 2 |
| | Bitter gourd | 3 | 7 | 0 | | | | | | | |
| | Oats | 2 | 4 | 0 | | | | | | | |
| Sheikhupura | Cauliflower | 3 | 3 | 0 | | | | | | | |
| | Okra | 2 | 11 | 0 | | | | | | | |
| | Tomato | 9 | 11 | 1 | Fruit Borer | | | | 169 RB | 1 | 1 |
| | Onion | 2 | 3 | 0 | | | | | | | |
| | Capsicum | 9 | 28 | 1 | Blossom End Rot | Laluphumpan | 1 | 1 | | | |
| | Brinjal | 2 | 4 | 0 | | | | | | | |
| | Sponge gourd | 1 | 1 | 0 | | | | | | | |
| | Pumpkin | 1 | 6 | 0 | | | | | | | |
| | Round Gourd | 1 | 5 | 0 | | | | | | | |
| | Berseem | 85 | 173 | 15 | Stem Rot | Chak 47,Chak 27,Chak 28,Baghan Wal | 11 | 15 | | | |
| | Berseem | | | 1 | Armyworm | Chak Nahra | 1 | 1 | | | |
| | Berseem | | | 6 | Barseem rot | RAT GARH, MUHAMMAD PURA , LABA | 3 | 6 | | | |

| DISTRICT | CROPS | No. of Spots | Area Surveyed (Acre) | Area Affected (Acre) | INSECT PEST/ DISEASE | AFFECTED LOCALITIES/ AREA IN ACRES | | | | | |
|----------|--------------|--------------|----------------------|----------------------|----------------------|------------------------------------|------------------------------------|---------------|--|------------------------|---------------|
| | | | | | | ABOVE ETL LOCALITIES | No. of Spots Above ETL (Hot Spots) | AREA IN ACRES | BELOW ETL LOCALITIES | No. of Spots Below ETL | AREA IN ACRES |
| | Berseem | | | 0 | | | | | | | |
| | Berseem | | | 9 | Leaf miner | | | | BERTH, CHAK 44, TALWARA , RAT GAR | 4 | 9 |
| | Strawbeery | 5 | 13 | 1 | | | | | Mites | 1 | 1 |
| | Bitter gourd | 1 | 1 | 0 | | | | | | | |
| | Chillies | 9 | 25 | 0 | | | | | | | |
| Kasur | Berseem | 14 | 30 | 3 | White mould | Dubli, Gandi roup singh | 2 | 3 | | | |
| | Cauliflower | 3 | 6 | 3 | Armyworm | Khan kay modh | 1 | 3 | | | |
| | Arvi | 2 | 4 | 0 | | | | | | | |
| | Brinjal | 10 | 11 | 5 | Brinjal borer | | | | sehresar,Jamber,Tara garh,cheena Hith | 5 | 5 |
| | Cabbage | 6 | 10 | 2 | Cabbage Butterfly | | | | Jend wala,Norpur Dogran | 2 | 2 |
| | Garlic | 1 | 1 | 0 | | | | | | | |
| | Corriander | 1 | 2 | 0 | | | | | | | |
| | Jamman | 2 | 2 | 0 | | | | | | | |
| | Melon | 4 | 21 | 8 | Fruit fly | | | | Kot Akbar,Kot nazir Muhammad | 2 | 8 |
| | Okra | 1 | 1 | 1 | Jassid | | | | Jagyan | 1 | 1 |
| | onion | 5 | 5 | 1 | blight | Attri vrik | 1 | 1 | | | |
| | Pumpkin | 8 | 11 | 1 | Red Pumpkin beetle | | | | Khan kay modh | 1 | 1 |
| | Raddish | 1 | 1 | 0 | | | | | | | |
| | Tomato | 7 | 11 | 4 | Aphid,leaf miner | | | | Jend wala, Fahte wali, sanda cheestana | 3 | 4 |
| | Tomato | | | 3 | Blight | Jagyan,Gid pur,Cheena Hithard | 3 | 3 | | | |
| | Spinach | 3 | 4 | 0 | | | | | | | |
| | Oats | 3 | 7 | 0 | | | | | | | |
| | Bitter gourd | 4 | 4 | 1 | Fruit fly | | | | Qutba | 1 | 1 |

| DISTRICT | CROPS | No. of Spots | Area Surveyed (Acre) | Area Affected (Acre) | INSECT PEST/ DISEASE | AFFECTED LOCALITIES/ AREA IN ACRES | | | | | |
|---------------|---------------|--------------|----------------------|----------------------|----------------------|--|------------------------------------|---------------|----------------------|------------------------|---------------|
| | | | | | | ABOVE ETL LOCALITIES | No. of Spots Above ETL (Hot Spots) | AREA IN ACRES | BELOW ETL LOCALITIES | No. of Spots Below ETL | AREA IN ACRES |
| | Chillies | 13 | 20 | 4 | Collar rot | cheena Hithard,kundan mor,narmal k | 4 | 4 | | | |
| | Sponge gourd | 1 | 2 | 0 | | | | | | | |
| Nankana Sahib | Garlic | 1 | 2 | 0 | | | | | | | |
| | Tomato | 1 | 2 | 0 | | | | | | | |
| | Onion | 1 | 2 | 0 | | | | | | | |
| | Berseem | 28 | 56 | 8 | Root rot, Armyworm | 641, Qila roop singh, wehari pur, Ratt | 7 | 8 | | | |
| | Chillies | 1 | 4 | 0 | | | | | | | |
| | Strawbeery | 3 | 14 | 2 | Anthraxnose | Kot Naubahar | 1 | 2 | | | |
| Chiniot | Beet root | 1 | 2 | 0 | | | | | | | |
| | Brinjal | 1 | 1 | 0 | | | | | | | |
| | Capsicum | 1 | 2 | 0 | | | | | | | |
| | Cauliflower | 1 | 1 | 0 | | | | | | | |
| | Cucumber | 1 | 1 | 0 | | | | | | | |
| | Tomato | 1 | 1 | 0.5 | Aphid | | | | Ahmad Nagar | 1 | 0.5 |
| | Tobbaco | 1 | 0.5 | 0 | | | | | | | |
| | Chillies | 2 | 1 | 0.5 | Aphid | | | | Ahmad Nagar | 1 | 0.5 |
| | Bitter gourd | 1 | 2 | 4 | Fruit fly | | | 2 | Barkhurdar | 1 | 2 |
| Faisalabad | Berseem | 151 | 264.8 | 19.5 | Armyworm | 443Gb,485GB,390GB,211GB,222GB,227GB,129RB,135RB,25JB,179RB,435GB,592GB,450GB,453GB,41JB,273JB,66JB,70JB,83JB,248Rb,38JB,295RB,57JB,52JB,253RB,580GB,31GB,628GB,627GB,272RB | 33 | 19.5 | | | |
| | Cauliflower | 1 | 1 | 0 | | | | | | | |
| | Lucern | 7 | 17.2 | 0.5 | Leaf miner | | | | 89GB | 1 | 0.5 |
| | Tomato | 2 | 4 | 2 | Leaf miner | | | | 38JB | 1 | 2 |
| | Melon | 2 | 5 | 3 | Blight,Downy mildew | 500GB,69JB | 2 | 3 | | | |
| | Brinjal | 1 | 2 | 0 | | | | | | | |
| | Garlic | 1 | 1 | 0 | | | | | | | |
| | Grapes | 1 | 3 | 0 | | | | | | | |
| | Nappier Grass | 1 | 5 | 0 | | | | | | | |

| DISTRICT | CROPS | No. of Spots | Area Surveyed (Acre) | Area Affected (Acre) | INSECT PEST/ DISEASE | AFFECTED LOCALITIES/ AREA IN ACRES | | | | | |
|------------|---------------|--------------|----------------------|----------------------|----------------------|---|------------------------------------|---------------|----------------------|------------------------|---------------|
| | | | | | | ABOVE ETL LOCALITIES | No. of Spots Above ETL (Hot Spots) | AREA IN ACRES | BELOW ETL LOCALITIES | No. of Spots Below ETL | AREA IN ACRES |
| | Onion | 3 | 2.2 | 1.2 | Thrips,Downy mildew | 273JB | 1 | 0.2 | 103GB | 1 | 1 |
| | Watermelon | 13 | 84.5 | 13 | Aphid | | | | 456GB,Killianwala | 2 | 13 |
| | Tobbaco | 1 | 2 | 0 | | | | | | | |
| | Bitter gourd | 2 | 8 | 4 | Whitefly | | | | 69JB, | 1 | 4 |
| | Chillies | 4 | 11 | 9 | Collar Rot,W.fly | 500GB | 2 | 5 | 453GB,296RB | 2 | 4 |
| Jhang | Melon | 3 | 21 | 0 | | | | | | | |
| | Cucumber | 3 | 20 | 0 | | | | | | | |
| | Onion | 7 | 22A-2K | 1 | Thrips | | | | Mouza Shekhana | 1 | 1 |
| | Onion | | | 2 | Purple Blotch | Mouza Shekhana,Badh Rajbana,Chainwala | 3 | 2 | | | |
| | Sponge gourd | 1 | 1 | 0 | | | | | | | |
| | Watermelon | 4 | 45 | 2 | Aphid | | | | Mouza Kot Murad | 1 | 2 |
| | Apple gourd | 2 | 3 | 0 | | | | | | | |
| | Chillies | 6 | 31 | 0 | | | | | | | |
| T.T.Singh | Berseem | 69 | 83.5 | 3 | Root Rot | 178,245,518GB,361,303JB | 5 | 3 | | | |
| | Berseem | | | 6 | Leaf miner | | | | 346,318,307GB | 4 | 6 |
| | Melon | 1 | 5 | 0 | | | | | | | |
| | Capsicum | 1 | 3 | 0 | | | | | | | |
| | Cucumber | 2 | 15 | 0 | | | | | | | |
| | Okra | 1 | 2 | 0 | | | | | | | |
| | Watermelon | 8 | 27.5 | 0 | | | | | | | |
| | Sweet Pepper | 1 | 2 | 0 | | | | | | | |
| | Brinjal | 1 | 2 | 0 | | | | | | | |
| | Tobbaco | 3 | 4 | 0 | | | | | | | |
| | Bitter gourd | 2 | 14 | 0 | | | | | | | |
| Gujranwala | Cauliflower | 2 | 6 | 0 | | | | | | | |
| | Berseem | 88 | 206.75 | 16.5 | Root Rot | Khabeki, Mandial Chattha, Bhirri Shah Rehman, Gondlanwala | 4 | 16.5 | | | |
| | Canola | 1 | 1 | 0 | | | | | | | |
| | Capsicum | 1 | 5.5 | 0 | | | | | | | |
| | Fresh Beans | 2 | 1.5 | 0 | | | | | | | |
| | Garlic | 3 | 10 | 0 | | | | | | | |
| | Musk melon | 3 | 8 | 0 | | | | | | | |
| | Mustard | 2 | 0.75 | 0 | | | | | | | |
| | Nappier Grass | 4 | 9 | 0 | | | | | | | |
| | Onion | 8 | 78 | 0 | | | | | | | |

| DISTRICT | CROPS | No. of Spots | Area Surveyed (Acre) | Area Affected (Acre) | INSECT PEST/ DISEASE | AFFECTED LOCALITIES/ AREA IN ACRES | | | | | |
|-----------|--------------|--------------|----------------------|----------------------|----------------------|------------------------------------|------------------------------------|---------------|---|------------------------|---------------|
| | | | | | | ABOVE ETL LOCALITIES | No. of Spots Above ETL (Hot Spots) | AREA IN ACRES | BELOW ETL LOCALITIES | No. of Spots Below ETL | AREA IN ACRES |
| | Round Gourd | 2 | 3 | 0 | | | | | | | |
| | Sugarcane | 9 | 9.5 | 0 | | | | | | | |
| | Watermelon | 8 | 77.5 | 0 | | | | | | | |
| | Bitter gourd | 2 | 14 | 0 | | | | | | | |
| | Strawbeery | 7 | 26 | 0 | | | | | | | |
| | Chillies | 3 | 16.75 | 5.5 | Wilt | Soiyan | 1 | 5.5 | | | |
| Gujrat | Berseem | 67 | 108.125 | 11 | Root Rot | Tibba hamid, Dharowal, Fatta Bhand | 4 | 11 | | | |
| | Canola | 1 | 1.5 | 0 | | | | | | | |
| | Linseed | 1 | 0.25 | 0 | | | | | | | |
| | Lucern | 2 | 3 | 1 | Leaf curl Virus, | | | | Jalyani | 1 | 1 |
| | Sugarcane | 24 | 28.25 | 0.5 | Whitefly | | | | Machiwal, Trikha | 2 | 0.5 |
| | Oats | 1 | 2 | 0 | | | | | | | |
| Hafizabad | Fodder | 37 | 63.5 | 2.5 | Root Rot, Leaf Minor | Jhotianwala, | 1 | 0.5 | Baagh Nau, Wacho ki | 2 | 2 |
| | Oil Seed | 2 | 6 | 0 | | | | | | | |
| | Watermelon | 8 | 56.25 | 3 | Downy mildew | Mogha Diwan, Banjar | 2 | 3 | | | |
| | Tobbaco | 1 | 0.5 | 0.5 | TMV | Dhana Bhattian | 1 | 0.5 | | | |
| | Strawbeery | 1 | 1 | 0 | | | | | | | |
| M.B.Din | Berseem | 3 | 8 | 2 | Root Rot | Madre | 1 | 2 | | | |
| | Berseem | | | 1 | Aphid | | | | Chak No. 02 Shumali | 1 | 1 |
| | Onion | 1 | 1 | 0 | | | | | | | |
| | Cabbage | 1 | 0.25 | 0 | | | | | | | |
| | Round Gourd | 4 | 3.5 | 0 | RPB | Dera Sharaf Din-Wasu | 1 | | | | |
| | Tomato | 4 | 4.5 | 0 | | | | | | | |
| | Raddish | 1 | 0.25 | 0 | | | | | | | |
| | Maize | 1 | 8 | 0 | | | | | | | |
| Sialkot | Apple gourd | 1 | 1 | 0 | | | | | | | |
| | Berseem | 137 | 269 | 0 | Rotening | | | | (Lorhiki)(Weerwala) (Chally Ki)(Mally Ki)(Kotli Nagra)(Bambanwala) (Hadoki)(Ali Pur Gujran) (Jetheki)(Hadoki) (Shareef Pura) | | |
| | Peas | 2 | 3 | 1 | Leaf miner | | | | Raja Ghuman | 1 | 1 |
| | Sugar beet | 1 | 2 | 0 | | | | | | | |
| | Sugarcane | 13 | 12 | 1 | Red rot | | | | Shota Shehzada | 1 | 1 |
| | Garlic | 11 | 3 | 0 | | | | | | | |
| | Corriander | 1 | 4 | 0 | | | | | | | |
| | Cucumber | 1 | 2 | 0 | | | | | | | |
| | Lady finger | 1 | 1 | 0 | | | | | | | |

| DISTRICT | CROPS | No. of Spots | Area Surveyed (Acre) | Area Affected (Acre) | INSECT PEST/ DISEASE | AFFECTED LOCALITIES/ AREA IN ACRES | | | | | |
|----------|--------------|--------------|----------------------|----------------------|----------------------|------------------------------------|------------------------------------|---------------|-----------------------------|------------------------|---------------|
| | | | | | | ABOVE ETL LOCALITIES | No. of Spots Above ETL (Hot Spots) | AREA IN ACRES | BELOW ETL LOCALITIES | No. of Spots Below ETL | AREA IN ACRES |
| | Capsicum | 2 | 4 | 45384 | aphid | | | | Dadu Bajwa, Budiyan, Charar | 2 | 2-4 |
| | Canola | 1 | 1 | 0 | | | | | | | |
| | Pumpkin | 1 | 1 | 0 | | | | | | | |
| | Sponge gourd | 1 | 1 | 0 | | | | | | | |
| | Tomato | 2 | 2 | 0 | | | | | | | |
| | Onion | 6 | 24 | 0 | | | | | | | |
| | Musk melon | 3 | 12 | 0 | | | | | | | |
| | Sunflower | 2 | 9 | 1 | Stem rot | | | | Budiyan, Charar | 1 | 1 |
| | Tobacco | 2 | 0.5 | 1 | Cut worm | | | | Aqi Machi | 1 | 1 |
| | Chillies | 2 | 3 | 0 | | | | | | | |
| | Strawbeery | 4 | 5 | 0 | | | | | | | |
| Narowal | Berseem | 103 | 135 | 0 | | | | | | | |
| | Apple gourd | 3 | 4 | 0 | | | | | | | |
| | Apple gourd | 3 | 4 | 0 | | | | | | | |
| | Okra | 39 | 10 | 0 | | | | | | | |
| | Raddish | 2 | 2 | 0 | | | | | | | |
| | Corriander | 5 | 2 | 0 | | | | | | | |
| | Carrot | 2 | 1 | 0 | | | | | | | |
| | Garlic | 37 | 6 | 0 | | | | | | | |
| | Cucumber | 2 | 5 | 0 | | | | | | | |
| | Cucumber | 2 | 2 | 0 | | | | | | | |
| | Onion | 2 | 4 | 0 | | | | | | | |
| | Pumpkin | 22 | 11 | 0 | | | | | | | |
| | Turnip | 2 | 4 | 0 | | | | | | | |
| | Sugarcane | 12 | 48 | 1 | Top Borer | | | | Burra, | 1 | 1 |
| | Watermelon | 10 | 18 | 0 | | | | | | | |
| | Musk melon | 10 | 25 | 0 | | | | | | | |
| | Spinach | 2 | 6 | 0 | | | | | | | |
| | Sunflower | 12 | 16 | 0 | | | | | | | |
| | Chillies | 4 | 6 | 0 | | | | | | | |
| Sargodha | Spinach | | | 0 | | | | | | | |
| | Berseem | 105 | 207.25 | 0 | | | | | | | |

| DISTRICT | CROPS | No. of Spots | Area Surveyed (Acre) | Area Affected (Acre) | INSECT PEST/ DISEASE | AFFECTED LOCALITIES/ AREA IN ACRES | | | | | |
|----------|--------------|--------------|----------------------|----------------------|----------------------|------------------------------------|------------------------------------|---------------|----------------------|------------------------|---------------|
| | | | | | | ABOVE ETL LOCALITIES | No. of Spots Above ETL (Hot Spots) | AREA IN ACRES | BELOW ETL LOCALITIES | No. of Spots Below ETL | AREA IN ACRES |
| | Apple gourd | | | 0 | | | | | | | |
| | Sugar beet | 1 | 2 | 0 | | | | | | | |
| | Tobbaco | | | 0 | | | | | | | |
| | Lucern | 18 | 26.25 | 0 | | | | | | | |
| | Raddish | | | 0 | | | | | | | |
| | Tomato | | | 0 | | | | | | | |
| | Corriander | | | 0 | | | | | | | |
| | Turnip | | | 0 | | | | | | | |
| | Carrot | | | 0 | | | | | | | |
| | Cauliflower | | | 0 | | | | | | | |
| | Turnip | | | 0 | | | | | | | |
| | Round Gourd | 1 | 1 | 0 | | | | | | | |
| | Mustard | 3 | 7.5 | 0 | | | | | | | |
| | Canola | 7 | 7.5 | 0 | | | | | | | |
| | Watermelon | | | 0 | | | | | | | |
| | Kallar Grass | | | 0 | | | | | | | |
| | pumpkin | 2 | 2 | 0 | | | | | | | |
| | Garlic | 1 | 3 | 0 | | | | | | | |
| | Brinjal | | | 0 | | | | | | | |
| | Sugarcane | | | 0 | | | | | | | |
| | Onion | | | 0 | | | | | | | |
| | Millet | | | 0 | | | | | | | |
| | Garlic | | | 0 | | | | | | | |
| | Garlic | 1 | 0.75 | 0 | | | | | | | |
| | Cucumber | | | 0 | | | | | | | |
| | Tomato | | | 0 | | | | | | | |
| | Hybrid Grass | 5 | 12 | 0 | | | | | | | |
| | Okra | 1 | 0.25 | 0 | | | | | | | |
| | Bitter gourd | 1 | 1 | 0 | | | | | | | |
| | Oats | | | 0 | | | | | | | |
| | Chillies | | | 0 | | | | | | | |
| | Bitter gourd | | | 0 | | | | | | | |

| DISTRICT | CROPS | No. of Spots | Area Surveyed (Acre) | Area Affected (Acre) | INSECT PEST/ DISEASE | AFFECTED LOCALITIES/ AREA IN ACRES | | | | | |
|----------|--------------|--------------|----------------------|----------------------|----------------------|------------------------------------|------------------------------------|---------------|--|------------------------|---------------|
| | | | | | | ABOVE ETL LOCALITIES | No. of Spots Above ETL (Hot Spots) | AREA IN ACRES | BELOW ETL LOCALITIES | No. of Spots Below ETL | AREA IN ACRES |
| | Bitter gourd | 1 | 1 | 0 | | | | | | | |
| | Sponge gourd | | | 0 | | | | | | | |
| Mianwali | Berseem | 33 | 39 | 0 | | | | | | | |
| | Canola | 17 | 56 | 0 | | | | | | | |
| | Lucern | 2 | 3 | 0 | | | | | | | |
| | Onion | 7 | 6 | 1.25 | Thrips/PURPLE Blotch | Ahmad Khanwala | 1 | 0.25 | Jall Janubi | 1 | 1 |
| | Sarsoon | 19 | 33 | 0 | | | | | | | |
| | Oats | 16 | 18 | 0 | | | | | | | |
| Khushab | Berseem | 15 | 17 | 2 | White Mould | Sandral, Chak 58/MB | 3 | 2 | | | |
| | Berseem | | | 4 | Aphid | | | | Sandral, Chak 58/MB | 4 | 4 |
| | Berseem | 14 | 12.3 | 0.4 | Semilooper | | | | 35TDA | 1 | 0.4 |
| | Berseem | | | 1.7 | Aphid | | | | 33TDA,Goharwala,Kanjan Nashaib | 3 | 1.7 |
| | Sugar beet | 2 | 3 | 0 | | | | | | | |
| | Berseem | | | 2 | Caterpillar | | | | Kanjan Nashaib | 1 | 2 |
| | Sunflower | 7 | 18 | 11 | Aphid | | | | Pathankot,Dagar Kotli Janob,Lal Bhattiwala,Azizabad,210TDA | 4 | 11 |
| | Onion | 6 | 15 | 14 | Thrips | | | | Katha Misral | 5 | 14 |
| | Tomato | 11 | 47 | 11 | Helicoverpa | | | | Katha Misral | 3 | 11 |
| | Tomato | | | 32 | Late Blight | Katha Misral | 8 | 32 | | | |
| | Tomato | | | 11 | Aphid | | | | Katha Misral | 2 | 11 |
| | Tomato | | | 15 | Bacterial Soft Rot | Katha Misral | 3 | 15 | | | |
| | Cabbage | 1 | 0.5 | 0 | | | | | | | |
| | Lucern | 31 | 25.3 | 5 | Caterpillar | | | | 13TDA,15TDA,16TDA, | 4 | 5 |

| DISTRICT | CROPS | No. of Spots | Area Surveyed (Acre) | Area Affected | INSECT PEST/ DISEASE | AFFECTED LOCALITIES/ AREA IN ACRES | | | | | |
|------------|--------------|--------------|----------------------|---------------|----------------------|------------------------------------|------------------------------------|---------------|---|------------------------|---------------|
| | | | | (Acre) | | ABOVE ETL LOCALITIES | No. of Spots Above ETL (Hot Spots) | AREA IN ACRES | BELOW ETL LOCALITIES | No. of Spots Below ETL | AREA IN ACRES |
| | Lucern | | | 3.8 | Semilooper | | | | 35TDA,67ML.Lal Bhattiwala,Kotli Janobi, | 5 | 3.8 |
| | Lucern | | | 0.4 | Aphid | | | | 214TDA | 1 | 0.4 |
| | Mustard | 11 | 25 | 3 | | | | | Muslimkot,Gorcha Nashaib | 2 | 3 |
| | Onion | 5 | 4.8 | 1.5 | Thrips | | | | Mouza Raseedpur,Rukh Mankera | 2 | 1.5 |
| | Onion | | | 0.4 | Purple Blotch | 70AML | 1 | 0.4 | | | |
| | Pumpkin | 1 | 1.5 | 1.5 | Red Pumpkin Beetle | | | | Gorcha Nashaib | 1 | 1.5 |
| | Raya | 2 | 4 | 1 | Aphid | | | | 38TDA | 1 | 1 |
| | Tomato | 1 | 0.5 | 0.5 | Aphid | | | | Gorcha Nashaib Bhakkar | 1 | 0.5 |
| Rawalpindi | Apple gourd | 1 | 0.2 | 0 | | | | | | | |
| | Cauliflower | | | 0.1 | Aphid | | | | Bashir Colony U.C Jalala | 1 | 0.1 |
| | Cauliflower | | | 0.1 | Armyworm | | | | Thatta Khalil | 1 | 0.1 |
| | Cauliflower | | | 0.9 | Cabbage Butterfly | | | | Channi Awan, Kandhar, Aliot | 6 | 0.9 |
| | Pumpkin | | | 0.3 | Leaf miner | | | | Garhi Afganana, Gangu Jumma, Matto | 3 | 0.3 |
| | Bitter gourd | | | 0.1 | Leaf miner | | | | Thatta Khalil | 1 | 0.1 |
| | Apricot | 3 | 0.9 | 0 | | | | | | | |
| | Banana | 1 | 0.1 | 0 | | | | | | | |
| | Beet root | 7 | 1.2 | 0 | | | | | | | |
| | Capsicum | 3 | 0.3 | 0 | | | | | | | |
| | Brinjal | 4 | 0.5 | 0 | | | | | | | |
| | Cabbage | 2 | 0.3 | 0 | | | | | | | |

| DISTRICT | CROPS | No. of Spots | Area Surveyed (Acre) | Area Affected (Acre) | INSECT PEST/ DISEASE | AFFECTED LOCALITIES/ AREA IN ACRES | | | | | |
|----------|--------------|--------------|----------------------|----------------------|----------------------|---|------------------------------------|---------------|---|------------------------|---------------|
| | | | | | | ABOVE ETL LOCALITIES | No. of Spots Above ETL (Hot Spots) | AREA IN ACRES | BELOW ETL LOCALITIES | No. of Spots Below ETL | AREA IN ACRES |
| | Carrot | 8 | 1.4 | 0 | | | | | | | |
| | Corriander | 23 | 3.2 | 0 | | | | | | | |
| | Cucumber | 3 | 1.8 | 0 | | | | | | | |
| | Fig | 1 | 0.1 | 0 | | | | | | | |
| | Garlic | 22 | 4.1 | 0.2 | Aphid | | | | Tarahiya, Dhalla | 2 | 0.2 |
| | Garlic | | | 0.2 | Thrips | | | | Kandhar, Aliot | 2 | 0.2 |
| | Bitter gourd | 5 | 1.1 | 0 | | | | | | | |
| | Grapes | 8 | 17.25 | 0 | | | | | | | |
| | Lemon | 4 | 8.2 | 0 | | | | | | | |
| | Lettuce | 18 | 3.9 | 0 | | | | | | | |
| | Loquat | 9 | 1.4 | 0 | | | | | | | |
| | Lucern | 1 | 0.1 | 0 | | | | | | | |
| | Mint | 11 | 1.1 | 0 | | | | | | | |
| | Musk melon | 1 | 0.4 | 0 | | | | | | | |
| | Mustard | 2 | 0.2 | 0.1 | Jassid | | | | Dhoke Nallah | 1 | 0.1 |
| | onion | 21 | 3.4 | 1.1 | Thrips | | | | Mouza Channi Awan, Kandhar, Dulmi, Galiana, Daultala, Dhoke Chaudrian | 8 | 1.1 |
| | Peach | 14 | 25.4 | 2.2 | Peach Leaf Curl | Rakh Mor, Garhi Afganana, Pind Nowsheri | 3 | 2.2 | | | |
| | Peach | | | 0.1 | Shot Holes | Pind Nowsheri | 1 | 0.1 | | | |
| | Peach | | | 0.2 | Aphid | | | | Mohra Khatran | 2 | 0.2 |
| | Pear | 1 | 0.1 | 0 | | | | | | | |
| | Plum | 3 | 0.4 | 0.1 | Aphid | | | | Shahpur | 1 | 0.1 |

| DISTRICT | CROPS | No. of Spots | Area Surveyed (Acre) | Area Affected (Acre) | INSECT PEST/ DISEASE | AFFECTED LOCALITIES/ AREA IN ACRES | | | | | |
|----------|--------------|--------------|----------------------|----------------------|----------------------|------------------------------------|------------------------------------|---------------|------------------------------|------------------------|---------------|
| | | | | | | ABOVE ETL LOCALITIES | No. of Spots Above ETL (Hot Spots) | AREA IN ACRES | BELOW ETL LOCALITIES | No. of Spots Below ETL | AREA IN ACRES |
| | Pomegranate | 1 | 0.1 | 0 | | | | | | | |
| | Pumpkin | 12 | 4.5 | 0.3 | Aphid | | | | Galiana, Habib Kanyal | 3 | 0.3 |
| | Cauliflower | 17 | 8 | 0.1 | Leaf Spot | Juggian | 1 | 0.1 | | | |
| | Raddish | 12 | 2 | 0 | | | | | | | |
| | Rapseed | 1 | 0.2 | 0 | | | | | | | |
| | Rose | 3 | 2.2 | 0 | | | | | | | |
| | Sponge gourd | 2 | 0.6 | 0 | | | | | | | |
| | Tomato | 29 | 5.2 | 0 | | | | | | | |
| | Turmeric | 1 | 0.2 | 0 | | | | | | | |
| | Turnip | 5 | 1.5 | 0 | | | | | | | |
| | Zucchini | 1 | 0.2 | 0.2 | | | | | Bhattian | 1 | 0.2 |
| | Oats | 12 | 8.3 | 0.1 | Aphid | | | | Kolian | 1 | 0.1 |
| | Chillies | 11 | 4.3 | 0.2 | Aphid | | | | Thatta Khalil, Farooq e Azam | 2 | 0.2 |
| | Spinach | 39 | 6.2 | 0.5 | Leaf Spot | Dhalla, Sangohri, Daultala | 4 | 0.5 | | | |
| | Bitter gourd | 12 | 1.6 | 0.2 | Aphid | | | | Ghari Afganana, Galiana | 2 | 0.2 |
| | Fenugreek | 12 | 1.9 | 0.2 | Leaf Spot | Matto | 1 | 0.2 | | | |
| | Strawbeery | 1 | 0.1 | 0 | | | | | | | |
| Attock | Melon | 9 | 23.4 | 0 | | | | | | | |
| | Cauliflower | 2 | 4.5 | 0 | | | | | | | |
| | Spinach | 4 | 2.7 | 0 | | | | | | | |
| | Tobbaco | 1 | 0.9 | 0 | | | | | | | |
| | Berseem | 2 | 0.3 | 0 | | | | | | | |
| | Bitter gourd | 2 | 0.6 | 0 | | | | | | | |
| | Apple | 1 | 0.1 | 0 | | | | | | | |
| | Arvi | 2 | 0.11 | 0 | | | | | | | |
| | Brinjal | 1 | 0.1 | 0 | | | | | | | |
| | Chillies | 3 | 0.41 | 0 | | | | | | | |
| | Corriander | 7 | 10.6 | 0 | | | | | | | |
| | Fodder | 26 | 13.17 | 0 | | | | | | | |
| | Garlic | 8 | 2.72 | 0.1 | Thrips | | | | Mansar | 1 | 0.1 |
| | Bitter gourd | 5 | 4 | 0 | | | | | | | |

| DISTRICT | CROPS | No. of Spots | Area Surveyed (Acre) | Area Affected (Acre) | INSECT PEST/ DISEASE | AFFECTED LOCALITIES/ AREA IN ACRES | | | | | |
|----------|--------------|--------------|----------------------|----------------------|------------------------------------|------------------------------------|------------------------------------|---------------|----------------------|------------------------|---------------|
| | | | | | | ABOVE ETL LOCALITIES | No. of Spots Above ETL (Hot Spots) | AREA IN ACRES | BELOW ETL LOCALITIES | No. of Spots Below ETL | AREA IN ACRES |
| | Grapes | 1 | 2.5 | 0 | | | | | | | |
| | Lucern | 1 | 0.1 | 0 | | | | | | | |
| | Fenugreek | 4 | 2.3 | 0 | | | | | | | |
| | Oats | 1 | 0.2 | 0 | | | | | | | |
| | Mint | 1 | 0.1 | 0 | | | | | | | |
| | Mustard | 2 | 1.3 | 0 | | | | | | | |
| | Okra | 3 | 1.3 | 0 | | | | | | | |
| | Onion | 3 | 5.3 | 0.1 | Purple Blotch | Kot Sundki | 1 | 0.1 | | | |
| | Peach | 1 | 0.1 | 0.1 | Aphid | | | | Hassar | 1 | 0.1 |
| | Plum | 1 | 0.1 | 0.1 | Gummosis | Hassar | 1 | 0.1 | | | |
| | Pumpkin | 1 | 0.3 | 0 | | | | | | | |
| | Raddish | 5 | 2.6 | 0 | | | | | | | |
| | Rose | 1 | 0.1 | 0 | | | | | | | |
| | Sugarcane | 1 | 0.4 | 0 | | | | | | | |
| | Tomato | 31 | 48.9 | 0 | | | | | | | |
| | Sponge gourd | 2 | 1 | 0 | | | | | | | |
| | Turnip | 3 | 2.52 | 0 | | | | | | | |
| Chakwal | Apple gourd | 2 | 0.75 | 0 | | | | | | | |
| | Melon | 3 | 4.825 | 0 | | | | | | | |
| | Cauliflower | 17 | 9.15 | 0.75 | Pieris brassicae Larvae, Army worm | Karyala | 1 | 0.5 | Sarwar abad | 2 | 0.25 |
| | Spinach | 7 | 1 | 0 | | | | | | | |
| | Berseem | 21 | 17.75 | 0.125 | Root rot | Dhok Daraz | 1 | 0.125 | | | |
| | Alsi | 1 | 0.5 | 0 | | | | | | | |
| | Apricot | 5 | 1.125 | 0.125 | Gummosis | Maingan | 1 | 0.125 | | | |
| | Barley | 2 | 4.5 | 0 | | | | | | | |
| | Bitter gourd | 9 | 6.875 | 0 | | | | | | | |
| | Brinjal | 7 | 3 | 0 | | | | | | | |
| | Cabbage | 1 | 0.25 | 0 | | | | | | | |
| | Capsicum | 12 | 83.625 | 0.25 | Aphid, Wilting | Miani | 1 | 0.125 | Miani | 1 | 0.125 |
| | Corriander | 12 | 2.9 | 0 | | | | | | | |
| | Cucumber | 6 | 6.375 | 0.375 | Downy mildew | Peerah fathal, Leti | 2 | 0.375 | | | |

| DISTRICT | CROPS | No. of Spots | Area Surveyed (Acre) | Area Affected (Acre) | INSECT PEST/ DISEASE | AFFECTED LOCALITIES/ AREA IN ACRES | | | | | |
|----------|--------------|--------------|----------------------|----------------------|----------------------|------------------------------------|------------------------------------|---------------|--|------------------------|---------------|
| | | | | | | ABOVE ETL LOCALITIES | No. of Spots Above ETL (Hot Spots) | AREA IN ACRES | BELOW ETL LOCALITIES | No. of Spots Below ETL | AREA IN ACRES |
| | Garlic | 6 | 2.75 | 0.5 | Thrips | | | | Malakwal, Chaki Shah Ji, Leti | 3 | 0.5 |
| | Grapes | 3 | 4.5 | 0 | | | | | | | |
| | Jamman | 1 | 0.125 | 0 | | | | | | | |
| | Masar | 1 | 0.25 | 0 | | | | | | | |
| | Mint | 1 | 0.25 | 0 | | | | | | | |
| | Mustard | 8 | 14 | 0 | | | | | | | |
| | Oats | 15 | 4.575 | 0 | | | | | | | |
| | Okra | 3 | 1.875 | 0 | | | | | | | |
| | Onion | 18 | 24.125 | 0.75 | Thrips | | | | Adlaka, Miani, Chaki Shah Ji, Leti, Gujar Town | 6 | 0.75 |
| | Peach | 3 | 0.375 | 0.125 | Gummosis | Maingan | 1 | 0.125 | | | |
| | Pomegranate | 1 | 0.125 | 0 | | | | | | | |
| | Pumpkin | 5 | 1.75 | 0 | | | | | | | |
| | Raddish | 1 | 0.125 | 0 | | | | | | | |
| | Rose | 2 | 3 | 0.125 | Aphid | | | | Bhoon | 1 | 0.125 |
| | Round Gourd | 7 | 5.125 | 0 | | | | | | | |
| | Sugarcane | 3 | 2.25 | 0 | | | | | | | |
| | Taramira | 1 | 0.25 | 0 | | | | | | | |
| | Tomato | 13 | 4.875 | 0.125 | Blight | Bhoon | 1 | 0.125 | | | |
| | Sponge gourd | 3 | 1 | 0 | | | | | | | |
| | Turnip | 3 | 1 | 0 | | | | | | | |
| | Watermelon | 2 | 1.5 | 0.125 | Downy mildew | Chaki Shah Ji | 1 | 0.125 | | | |
| | Chillies | 11 | 4.875 | 0.625 | | | | | Miani, Sarwar abad, Bharpur | 4 | 0.625 |
| Jhelum | Berseem | 2 | 1.3 | 0 | | | | | | | |
| | Cauliflower | 11 | 4.3 | 0.375 | Aphid | | | | Aima Ladiyan, Shamspur, Monapind | 3 | 0.375 |
| | Peas | 6 | 3.2 | 0.5 | Leaf miner | | | | Pinanwal | 1 | 0.5 |
| | Berseem | 18 | 9.625 | 0 | | | | | | | |
| | Spinach | 19 | 11.95 | 1.25 | Leaf Spot | Dina, Darapur, Monapind | 4 | 1.25 | | | |
| | Capsicum | 16 | 5.75 | 0 | | | | | | | |
| | Brinjal | 11 | 3.5 | 0 | | | | | | | |
| | Corriander | 11 | 2.3 | 0 | | | | | | | |
| | Cucumber | 1 | 0.5 | 0 | | | | | | | |

| DISTRICT | CROPS | No. of Spots | Area Surveyed (Acre) | Area Affected (Acre) | INSECT PEST/ DISEASE | AFFECTED LOCALITIES/ AREA IN ACRES | | | | | |
|--------------|-------------|--------------|----------------------|----------------------|----------------------|------------------------------------|------------------------------------|----------------|--|------------------------|----------------|
| | | | | | | ABOVE ETL LOCALITIES | No. of Spots Above ETL (Hot Spots) | AREA IN ACRES | BELOW ETL LOCALITIES | No. of Spots Below ETL | AREA IN ACRES |
| | Fenugreek | 2 | 0.2 | 0 | | | | | | | |
| | Garlic | 10 | 2.5 | 0.5 | Aphid | | | | Khana Boki | 1 | 0.5 |
| | Lucern | 2 | 0.625 | 0 | | | | | | | |
| | Mint | 1 | 0.5 | 0 | | | | | | | |
| | Mustard | 31 | 16.6 | 2 | Aphid | | | | Ghurahmad, Aima Ladiyan, Chak Danayal, Nikodar, Darapur, Monapind, | 7 | 2 |
| | Onion | 3 | 0.7 | 0 | | | | | | | |
| | Raddish | 11 | 4.25 | 0 | | | | | | | |
| | Round Gourd | 7 | 2.8 | 0 | | | | | | | |
| | Squash | 2 | 1 | 0 | | | | | | | |
| | Sugarcane | 19 | 38.5 | 0 | | | | | | | |
| | Turnip | 16 | 5.2 | 0 | | | | | | | |
| | Watermelon | 6 | 3.5 | 0 | | | | | | | |
| TOTAL | | 4901 | 10653.9 | 50163.7 | | | 1144 | 8041.03 | | 1271 | 7014.65 |