



**Pest Situation of Sugarcane  
Crop in Punjab  
(15<sup>TH</sup> – 30<sup>TH</sup> AUGUST 2022)**

## FORTNIGHTLY PEST SCOUTING AND FORECAST REPORT OF SUGARCANE CROP FOR THE 2ND FORTNIGHT OF AUGUST 2022

<b>Pest Situation of Sugarcane Pests</b>								
Sr. No.	Pest Name	%age of spots						Remarks
		Current F.Night 2022		Previous F.Night 2022		Corresponding F.Night of 2021		
		AETL	BETL	AETL	BETL	AETL	BETL	
1	BORER	1.10	19.19	1.02	19.09	1.64	19.23	Decreasing
2	PYRILLA	6.61	36.64	6.42	31.28	1.17	14.78	<b>Increasing</b>
3	WHITEFLY	4.32	28.56	2.14	23.09	6.18	25.80	Decreasing
4	BLACK BUG	0.00	7.44	0.00	6.33	0.00	2.89	-
-5	MITES	0.00	0.00	0.00	0.00	0.70	1.64	Decreasing
6	TOKA	0.28	20.02	0.28	17.32	0.08	11.65	<b>Increasing</b>
7	MEALY BUG	0.09	-	0.00	-	0.23	-	Decreasing
8	RED ROT	6.43	-	5.03	-	5.03	-	<b>Increasing</b>
9	WHIP SMUT	2.11	-	3.07	-	1.41	-	<b>Increasing</b>
10	MOSAIC VIRUS	0.00	-	0.00	-	0.00	-	-
11	RUST	0.00	-	0.00	-	0.00	-	-

### METEOROLOGICAL DATA OF THE FORTNIGHT

Districts	2022				2021			
	Temperature		R.H%	Rainfall (mm)	Temperature		RH%	Rainfall (mm)
	Max.	Min.			Max.	Min.		
<b>Multan</b>	33.3	25.9	69.5	14.4	36.5	28.37	68.82	6.5
<b>Khanewal</b>	33.8	26.6	72.7	4.0	37.2	28.79	67.79	4.0
<b>Vehari</b>	32.3	25.4	62.2	12.0	36.2	28.86	65	15.0
<b>Lodhran</b>	34.3	24.5	79.4	5.7	37.9	27.66	70.5	8.1
<b>Sahiwal</b>	34.8	27.0	73.5	1.0	38.0	27.0	64.00	0.0
<b>Pakpattan</b>	34.4	27.5	75.0	0.0	39.0	29.0	52.00	0.0
<b>Okara</b>	35.2	26.8	72.4	0.0	38.0	27	62.00	0.0
<b>Bahawalpur</b>	34.0	25.9	76.1	102.5	38.9	28.13	57.29	0.0
<b>Bahawalnagar</b>	35.7	26.2	68.1	32.0	39.9	27.88	56.35	0.0
<b>R.Y. Khan</b>	32.4	25.4	74.2	66.0	39.4	26.5	53.43	0.0
<b>D.G Khan</b>	31.4	25.7	72.4	7.1	40.8	28.57	57.39	0.0
<b>M. Garh</b>	32.0	21.1	81.5	13.5	31.7	18.08	52.83	3.0
<b>Rajanpur</b>	31.6	27.0	81.6	13.7	31.7	18.08	52.83	0.0
<b>Layyah</b>	39.3	24.1	93.0	55.0	41.6	29.64	46	5.0
<b>TOT/AVG</b>	<b>33.9</b>	<b>25.6</b>	<b>75.1</b>	<b>326.9</b>	<b>37.6</b>	<b>20.8</b>	<b>46.3</b>	<b>41.6</b>

## **FORECAST FOR THE NEXT FORTNIGHT**

### **BORERS**

This pest flourish best at optimum temperature 35-41C° with relative humidity below 65-70%. The current weather conditions on overall Punjab basis is as; maximum temperature **33.9** C°, minimum **25.6** C° with R. humidity **75.1**. It is predicted that the population of this pest will decrease during the next fortnight.

### **PYRILLA**

This pest flourish best at optimum temperature 29-40C with relative humidity 75-84 .The current weather conditions on overall Punjab basis is as; maximum temperature **33.9** C°, minimum **25.6** C° with R. humidity **75.1**. It is predicted that the population of this pest will increase during the next fortnight.

### **WHITEFLY**

This pest flourish best at optimum temperature 29-40C with relative humidity 75-84%. The current weather conditions on overall Punjab basis is as; maximum temperature **33.9** C°, minimum **25.6** C° with R. humidity **75.1**. It is predicted that the population of this pest will sustain during the next fortnight.

### **BLACK BUG**

This pest flourish best at optimum temperature 22.9-40.9C with relative R. humidity 46%. The current weather conditions on overall Punjab basis is as; maximum temperature **33.9** C°, minimum **25.6** C° with R. humidity **75.1**. It is predicted that the population of this pest will sustain during the next fortnight.

### **TOKA**

The optimal temperature and RH conditions for the feeding activities are 28.5-33C and 60-70 C° % respectively. The current weather conditions on overall Punjab basis is as; maximum

temperature **33.9** C°, minimum **25.6** C° with R. humidity **75.1**. It is predicted that the population of this pest will sustain during the next fortnight.

### **MEALY BUG**

This pest flourish best at optimum temperature 29-40C with relative humidity 75-84%. The current weather conditions on overall Punjab basis is as; maximum temperature **33.9** C°, minimum **25.6** C° with R. humidity **75.1**. It is predicted that the population of this pest will sustain during the next fortnight.

### **TERMITES**

The optimal temperature and RH conditions for the feeding activities are 35°-40C and 70-80% respectively. The current weather conditions on overall Punjab basis is as; maximum temperature **33.9** C°, minimum **25.6** C° with R. humidity **75.1**. It is predicted that the population of this pest will sustain during the next fortnight.

### **MITES**

The optimal temperature and RH conditions for the feeding activities are 30°-36C and 20-40% respectively. The current weather conditions on overall Punjab basis is as; maximum temperature **33.9** C°, minimum **25.6** C° with R. humidity **75.1**. It is predicted that the population of this pest will decrease during the next fortnight.

### **RUST**

This disease flourish best at optimum temperature 12-14C with relative humidity below 80-85%. The current weather conditions on overall Punjab basis is as; maximum temperature **33.9** C°, minimum **25.6** C° with R. humidity **75.1**. It is predicted that the population of this pest will sustain during the next fortnight.

### **RED ROT**

This disease flourish best at optimum temperature 25.5-26.5C with relative humidity 60. The current weather conditions on overall Punjab basis is as; maximum temperature **33.9** C°,

minimum **25.6** C° with R. humidity **75.1**. It is predicted that the population of this pest will increase during the next fortnight.

### **WHIP SMUT**

This disease flourish best at optimum temperature 14-35C with relative humidity 55-80%. The current weather conditions on overall Punjab basis is as; maximum temperature **33.9** C°, minimum **25.6** C° with R. humidity **75.1**. It is predicted that the population of this pest will increase during the next fortnight.

### **MOSAIC VIRUS**

The current weather conditions on overall Punjab basis is as; maximum temperature **33.9** C°, minimum **25.6** C° with R. humidity **75.1**. It is predicted that the population of this pest will sustain during the next fortnight.

### **RECOMMENDATIONS**

#### **BORERS MANAGEMENT**

- ❖ Install cards of beneficial insects (*Trichogramma*) from the start of crop.
- ❖ Apply granular insecticide carbofuron 3G@ 12-14 kg/acre to the fields where infestation of sugarcane borers observed above ETL.

#### **PYRILLA MANAGEMENT**

- ❖ Promote parasitic insects (*Tetrastichus pyrillae*) against eggs of pyrilla and (*Epiricania melanoleuca*) against nymphs and adults of pyrilla.
- ❖ Cut the leaves 6 inch in length from those fields having parasite eggs and pupae in abundance and shift/hang them in fields where parasites are not found.
- ❖ Apply Granular insecticide Carbofuron 3G@ 12-14 kg/acre to the fields where infestation of sugarcane Pyrilla reaches ETL and parasites are not found. Application of granules may be done till the 6 feet height of canes.

## WHITEFLY MANAGEMENT

- ❖ Cut severe infested leaves of whitefly and bury in the soil.
- ❖ Install cards of beneficial insects i.e *Chrysoperla carnea*

## BLACK BUG MANAGEMENT

- ❖ Avoid the cane fields from water stress.
- ❖ Apply granular insecticide carbofuron 3G@ 12-14 kg/acre

## RUST MANAGEMENT

- ❖ Cultivate resistant varieties.
- ❖ Cut and burn the diseased plants/ Plant pests.

## WHIP SMUT MANAGEMENT

- ❖ Cut and burn the diseased plants / Plant pests

## ECONOMIC THRESHOLD LEVELS (ETLs) OF SUGARCANE PESTS

INSECT PESTS	ECONOMIC THRESHOLD LEVEL
Borers	10% infested canes.
Pyrilla	3 per leaf.
Whitefly	10 per Leaf
Black bug	10 per sheath.
Toka	3 per sweep
Mites	10 per Leaf
Mealy bug	Only presence
Termites	10% damage
Rodents	5 live burrows per acre
Diseases	Only presence