




DIRECTORATE GENERAL
(PEST WARNING & QUALITY CONTROL OF PESTICIDES)
AGRICULTURE HOUSE, 21 – DAVIS ROAD, LAHORE.
Phone: 042 – 99204371, Fax: 99204373, Email: pestwarning@yahoo.com

نظامت اعلیٰ
(پست وارننگ اور کوالٹی کنٹرول
آف پیسٹی سائیزز) پنجاب لاہور

Subject: **PEST SITUATION REPORT OF FALL ARMYWORM FOR THE 2ND**
WEEK OF MARCH, 2024.

As per surveillance reports of Pest Warning Wing, no infestation of Fall Armyworm, *Spodoptera frugiperda*, has been observed during 2ND Week of March in Punjab. (Summary of report annexed).


Director of Agri. (PP) Hqr
For Director General

No. 3021-27 /DGA (PW&QCP)
Copy forwarded for information to;

Dated: 19-03-2024

- PS to Minister for Agriculture, Punjab, Lahore.
- Secretary Agriculture, Government of Punjab, Lahore.
- Secretary Agriculture, South Punjab, Multan.
- Director General of Agriculture (Ext. & AR) Punjab, Lahore.
- The Chief Scientist of Agriculture (Research) AARI, Faisalabad.
- Director General, Department of Plant Protection, Karachi.
- Director Agriculture Information, Punjab, Lahore.

PEST SITUATION ON MAIZE CROP IN PUNJAB DURING 2ND WEEK OF MARCH, 2024

Pest Situation of Maize Pests								
		%age of spots						
Sr. No.	Pest Name	Current Week 2024		Previous week 2023		Corresponding week 2023		Remarks
		AETL	BETL	AETL	BETL	AETL	BETL	
1	Maize Stem Borer	0.00	0.00	0.00	0.00	0.00	0.60	-
2	Fall Armyworm	0.00	-	0.00	-	2.19	-	-

Pest Situation of Sorghum Pests								
		%age of spots						
Sr. No.	Pest Name	Current Week 2023		Previous week 2023		Corresponding week 2022		Remarks
		AETL	BETL	AETL	BETL	AETL	BETL	
1	Maize Stem Borer	0.00	0.00	0.00	0.00	0.00	0.00	-
2	Fall Armyworm	0.00	-	0.00	-	-	-	-

Pest Situation of Millet Pests								
		%age of spots						
Sr. No.	Pest Name	Current Week 2023		Previous week 2023		Corresponding week 2022		Remarks
		AETL	BETL	AETL	BETL	AETL	BETL	
1	Maize Stem Borer	0.00	0.00	0.00	0.00	0.00	0.00	-
2	Fall Armyworm	0.00	-	0.00	-	0.00	-	-

DISTRICT WISE PEST SCOUTING REPORT OF FALL ARMYWORM ON MAIZE CROP FOR 2ND WEEK OF MARCH, 2024

Sr. #	District	No. of Spots Visited	Area Surveyed (Acres)	No. of Hot Spots of Fall Armyworm	% age of Hot Spots of Fall Armyworm
1	Multan	3	18	0	0.0
2	Khanewal	5	28	0	0.0
3	Vehari	15	65	0	0.0
4	Lodhran	7	45	0	0.0
5	Sahiwal	24	141	0	0.0
6	Pakpattan	16	79	0	0.0
7	Okara	22	172	0	0.0
8	Bahawalpur	0	0	0	0.0
9	Bahawalnagar	0	0	0	0.0
10	R.Y.Khan	0	0	0	0.0
11	D.G.Khan	0	0	0	0.0
12	M.Garh	0	0	0	0.0
13	Rajanpur	0	0	0	0.0

14	Layyah	0	0	0	0.0
15	Lahore	6	28	0	0.0
16	Sheikhupura	3	9	0	0.0
17	Nankana Sahib	0	0	0	0.0
18	Ferozwala	0	0	0	0.0
19	Kasur	32	120	0	0.0
20	Gujranwala	4	33	0	0.0
21	Hafizabad	3	4	0	0.0
22	Wazirabad	0	0	0	0.0
23	Sialkot	9	114	0	0.0
24	Narowal	0	0	0	0.0
25	M.B. Din	6	12	0	0.0
26	Gujrat	3	9	0	0.0
27	Faisalabad	11	70	0	0.0
28	Chiniot	28	166	0	0.0
29	TTSingh	10	26.5	0	0.0
30	Jhang	5	16	0	0.0
31	Sargodha	0	0	0	0.0
32	Khushab	0	0	0	0.0
33	Bhakkar	0	0	0	0.0
34	Mianwali	0	0	0	0.0
35	Jehlum	0	0	0	0.0
36	Chakwal	0	0	0	0.0
37	Rawalpindi	0	0	0	0.0
38	Attock	0	0	0	0.0
G.TOT 2024		212	1156	0	0.0

**DISTRICT WISE PEST SCOUTING REPORT OF FALL ARMYWORM ON
SORGHUM CROP FOR 2ND WEEK OF MARCH, 2024**

Sr. #	District	No. of Spots Visited	Area Surveyed (Acres)	No. of Hot Spots of Fall Armyworm	% age of Hot Spots of Fall Armyworm
1	Multan	0	0	0	0.0
2	Khanewal	0	0	0	0.0
3	Vehari	0	0	0	0.0
4	Lodhran	0	0	0	0.0
5	Sahiwal	0	0	0	0.0
6	Pakpattan	0	0	0	0.0
7	Okara	0	0	0	0.0
8	Bahawalpur	0	0	0	0.0
9	Bahawalnagar	0	0	0	0.0
10	R.Y.Khan	0	0	0	0.0
11	D.G.Khan	0	0	0	0.0
12	M.Garh	0	0	0	0.0

13	Rajanpur	0	0	0	0.0
14	Layyah	0	0	0	0.0
15	Faisalabad	0	0	0	0.0
16	T.T.Sing	0	0	0	0.0
17	Jhang	0	0	0	0.0
18	Chiniot	0	0	0	0.0
19	Lahore	0	0	0	0.0
20	Kasur	0	0	0	0.0
21	Sheikhupura	0	0	0	0.0
22	Ferozwala	0	0	0	0.0
23	Nankana Sahib	0	0	0	0.0
24	Sargodha	0	0	0	0.0
25	Khushab	0	0	0	0.0
26	Minawali	0	0	0	0.0
27	Bhakkar	0	0	0	0.0
28	Gujranwala	0	0	0	0.0
29	Hafizabad	0	0	0	0.0
30	Wazirabad	0	0	0	0.0
31	Sialkot	0	0	0	0.0
32	Narowal	0	0	0	0.0
33	M.B.Din	0	0	0	0.0
34	Gujrat	0	0	0	0.0
35	Jehlum	0	0	0	0.0
36	Chakwal	0	0	0	0.0
37	Rawalpindi	0	0	0	0.0
38	Attock	0	0	0	0.0
G.TOT 2024		0	0	0	0.0

**DISTRICT WISE PEST SCOUTING REPORT OF FALL ARMYWORM ON
MILLET CROP FOR 2ND WEEK OF MARCH, 2024**

Sr. #	District+B2:B21B2:B22B2:B23	No. of Spots Visited	Area Surveyed (Acres)	No. of Hot Spots of Fall Armyworm	% age of Hot Spots of Fall Armyworm
1	Multan	0	0	0	0.0
2	Khanewal	0	0	0	0.0
3	Vehari	0	0	0	0.0
4	Lodhran	0	0	0	0.0
5	Sahiwal	0	0	0	0.0
6	Pakpattan	0	0	0	0.0
7	Okara	0	0	0	0.0
8	Bahawalpur	0	0	0	0.0
9	Bahawalnagar	0	0	0	0.0
10	R.Y.Khan	0	0	0	0.0
11	D.G.Khan	0	0	0	0.0
12	M.Garh	0	0	0	0.0
13	Rajanpur	0	0	0	0.0
14	Layyah	0	0	0	0.0
15	Faisalabad	0	0	0	0.0

16	T.T.Sing	0	0	0	0.0
17	Jhang	0	0	0	0.0
18	Chiniot	0	0	0	0.0
19	Lahore	0	0	0	0.0
20	Kasur	0	0	0	0.0
21	Sheikhupura	0	0	0	0.0
22	Ferozwala	0	0	0	0.0
23	Nankana Sahib	0	0	0	0.0
24	Sargodha	0	0	0	0.0
25	Khushab	0	0	0	0.0
26	Minawali	0	0	0	0.0
27	Bhakkar	0	0	0	0.0
28	Gujranwala	0	0	0	0.0
29	Hafizabad	0	0	0	0.0
30	Wazirabad	0	0	0	0.0
31	Sialkot	0	0	0	0.0
32	Narowal	0	0	0	0.0
33	M.B.Din	0	0	0	0.0
34	Gujrat	0	0	0	0.0
35	Jhelum	0	0	0	0.0
36	Chakwal	0	0	0	0.0
37	Rawalpindi	0	0	0	0.0
38	Attock	0	0	0	0.0
G.TOT 2024		0	0	0	0.0

FORECAST FOR THE NEXT WEEK:

DISTRICTS	TEMPERATURE	
	Avg.Max. Temp (°C)	Avg. Min. Temp (°C)
Sahiwal	35.7	16.7
Pakpattan	35.7	16.7
Okara	35.7	16.7
Jhang	35.3	15.3
Toba Tek Singh	35.3	15.3
Chiniot	34.7	15.4
Multan	35.7	16.7
Khanewal	36.6	16.0
Vehari	36.6	16.0
Lodhran	36.3	18.4
AVG	35.8	16.3

Optimum temperature requirement for rapid multiplication of Fall Army Worm is 25-35 °C.

MANAGEMENT PRACTICES:

Following practices may be adopted for the management of FAW and to prevent its further spread:

1. Conduct Pest scouting twice a week.
2. Install light traps in maize fields.
3. Mechanical control through hand picking of larvae and egg masses.
4. Placing of sand or ash in the whorls on early stage crop.
5. Ensure need-based sprays and spot treatments.
6. Spray at late afternoon or early morning.
7. Whorl application of granular insecticides and use of T-Jet nozzle in case of sprays for better coverage.
8. Avoid repeated applications of pesticides having same mode of action.
9. Plant refuge/insectary crops along the borders or surrounding of Maize Crop to attract and provide shelter to beneficial insects.
10. At present few pesticides are registered against Fall Armyworm, however results of following pesticides are better against FAW;
Emamectin+Fipronil @ 8kg/A, Emamectin+Carbofuran @ 8Kg/A,
Emamactin@ 240ml/A, Leufenuron @ 240ml/A, Spintoram (120SC) @ 100ml/A.
Chlorantraniliprole 20%SC@100ml/A