

Pest Situation of Sugarcane Crop in Punjab (1ST - 15TH JULY 2019)

Directorate General
Pest Warning & Quality Control of
Pesticides Punjab, Lahore

PEST SITUATION OF SUGARCANE CROP IN THE PUNJAB FOR THE 1ST FORTNIGHT OF JULY, 2019

PEST SITUATION ON SUGARCANE CROP

BORER

On overall Punjab basis 1.81% spots above ETL have been observed as compared to 1.04% spots during the past fortnight and 0.41% during same corresponding period of the last year while 29.58% spots below ETL have been observed as compared to 30.60% spots during the past fortnight and 32.92% during same corresponding period of the last year.

PYRILLA

On overall Punjab basis 0.00% spots above ETL have been observed as compared to 0.00% spots during the past fortnight and 0.00% during same corresponding period of the last year while 1.91% spots below ETL have been observed as compared to 0.93% spots during the past fortnight and 6.55% during same corresponding period of the last year.

WHITEFLY

On overall Punjab basis 0.00% spots above ETL have been observed as compared to 0.00% spots during the past fortnight and 0.25% during same corresponding period of the last year while 3.72% spots below ETL have been observed as compared to 1.21% spots during the past fortnight and 4.34% during same corresponding period of the last year.

BLACK BUG

On overall Punjab basis 6.44% below ETL spots have been observed as compared to 14.34% spots during the past fortnight and 6.06% during same corresponding period of the last year.

MITES

On overall Punjab basis 0.40% spots above ETL have been observed as compared to 0.06% spots during the past fortnight and 0.16% during same corresponding period of the last year while 2.82% below ETL spots have been observed as compared to 0.75% spots during the past fortnight and 1.88% during same corresponding period of the last year.

TOKA

On overall Punjab basis 0.00% spots above ETL have been observed as compared to 0.00% spots during the past fortnight and 0.00% during same corresponding period of the last year while 8.35% spots below ETL have been observed as compared to 3.59% spots during the past fortnight and 4.67% during same corresponding period of the last year.

TERMITE

On overall Punjab basis 0.00% spot of Termite has observed as compared to 0.17% spots above ETL during the past fortnight and 0.00% during same corresponding period of the last year.

RED ROT

On overall Punjab basis 2.31% spot of Red Rot has observed as compared to 0.46% spots above ETL during the past fortnight and 2.87% during same corresponding period of the last year.

WHIP SMUT

On overall Punjab basis 5.03% spot of Whip Smut has observed as compared to 3.82% spots above ETL during the past fortnight and 4.59% during same corresponding period of the last year.

METEOROLOGICAL DATA OF THE FORTNIGHT

			2019		2018						
Districts	Temp	erature	R.H%	Rainfall	Ten	perature	RH%	Rainfall			
	Max.	Min.	К.П-70	(mm)	Max. Min.		- KN-70	(mm)			
Multan	40.40	31.90	58.50	0.00	36.10	29.10	69.80	4.00			
Khanewal	41.30	32.30	61.40	0.00	39.60	28.60	55.30	19.00			
Vehari	41.80	31.30	62.80	0.00	38.30	30.40	52.70	57.90			
Lodhran	42.00	32.40	49.00	0.00	40.30	25.50	45.40	15.00			
Sahiwal	44.00	31.00	35.00	0.00	42.00	29.00	38.00	0.00			
Pakpattan	44.10	32.30	30.29	0.00	42.00	33.10	29.40	0.00			
Okara	46.20	28.00	60.00	0.00	44.00	27.00	66.00	0.00			
Bahawalpur	41.56	30.37	51.50	0.00	40.68 26.89		54.79	2.97			
Bahawalnagar	40.96	27.31	48.31	0.00	39.50	27.46	58.62	3.23			
R.Y.Khan	43.08	29.92	73.33	0.00	39.66	26.50	71.33	0.00			
D.G Khan	43.71	31.71	54.71	0.00	42.79	42.79 30.04		3.00			
M. Garh	41.07	29.54	41.58	0.00	36.75 26.65		56.30	7.00			
Rajanpur	41.88	29.81	66.65	0.00	39.39 28.22		42.70	18.00			
Layyah	41.20	30.86	42.60	0.00	44.00	32.80	41.60	3.00			
TOT/AVG	42.38	30.62	52.55	0.00	40.36	28.66	52.37	133.10			

Weather forecast for Next 15 Days

Division	Dated	15 /7	16 /7	17 /7	18 /7	19 /7	20 /7	21 /7	22 /7	23 /7	24 /7	25 /7	26 /7	27 /7	28 /7	29 /7
Multan	Max. Temp.	38	39	38	36	38	43	38	39	39	40	40	39	40	41	41
	Min. Temp.	28	28	29	28	29	30	29	29	29	31	31	31	31	32	32
	Humidity %	41	39	43	45	42	31	23	23	22	23	27	26	26	25	31
Sahiwal	Max. Temp.	34	36	37	37	39	42	36	36	35	36	36	36	36	37	37
	Min. Temp.	26	26	28	28	30	30	30	31	31	30	30	30	30	30	30
	Humidity %	50	48	44	43	37	30	21	24	31	25	28	27	27	28	36
Bahawal pur	Max. Temp.	40	39	39	36	37	42	39	39	38	39	39	39	39	40	40
	Min. Temp.	28	28	29	27	27	28	29	28	29	30	30	29	30	30	30
	Humidity %	36	39	39	45	44	31	24	25	25	24	30	29	29	28	33
D.G. Khan	Max. Temp.	40	40	40	39	40	45	39	40	39	39	39	40	40	40	41
	Min. Temp.	28	29	30	29	28	30	29	28	29	31	31	31	31	32	32
	Humidity %	37	37	39	40	40	28	21	22	23	24	27	25	26	24	30
Average Cotton Zone	Max. Temp.	38.75														
	Min. Temp.	29.45														
	Humidity %	31.50														

FORECAST FOR THE NEXT FORTNIGHT

BORERS

This pest flourish best at optimum temperature $35\text{-}41\text{C}^\circ$ with relative humidity below 65-70%. The current weather conditions on overall Punjab basis is as; maximum temperature $42.38~\text{C}^\circ$, minimum $30.62~\text{C}^\circ$ with R. humidity 52.55%. Weather forecast for the next fifteen days is as; maximum temperature $38.75~\text{C}^\circ$, minimum temperature $29.45~\text{C}^\circ$ with humidity 31.50%. It is predicted that the population of this pest will increase during the next fortnight.

PYRILLA

This pest flourish best at optimum temperature 29-40C with relative humidity 75-84%. The current weather conditions on overall Punjab basis is as; maximum temperature 42.38 $^{\circ}$ C, minimum 30.62 $^{\circ}$ C with R. humidity 52.55%. Weather forecast for the next fifteen days is as; maximum temperature 38.75 $^{\circ}$ C, minimum temperature 29.45 $^{\circ}$ C with humidity 31.50%. It is predicted that the population of this pest will increase during the next fortnight.

WHITEFLY

This pest flourish best at optimum temperature 29-40C with relative humidity 75-84%. The current weather conditions on overall Punjab basis is as; maximum temperature 42.38 C°, minimum 30.62 C° with R. humidity 52.55%. Weather forecast for the next fifteen days is as; maximum temperature 38.75 C°, minimum temperature 29.45 C° with humidity 31.50%. It is predicted that the population of this pest will increase during the next fortnight.

BLACK BUG

This pest flourish best at optimum temperature 22.9-40.9C with relative R. humidity 46%. The current weather conditions on overall Punjab basis is as; maximum temperature 42.38 $^{\circ}$ C, minimum 30.62 $^{\circ}$ C with R. humidity 52.55%. Weather forecast for the next fifteen days is as; maximum temperature 38.75 $^{\circ}$ C, minimum temperature 29.45 $^{\circ}$ C with humidity 31.50%. It is predicted that the population of this pest will decrease during the next fortnight.

TOKA

The optimal temperature and RH conditions for the feeding activities are 28.5-33C and $60\text{-}70\text{ C}^\circ$ % respectively. The current weather conditions on overall Punjab basis is as; maximum temperature 42.38 C° , minimum 30.62 C° with R. humidity 52.55%. Weather forecast for the next fifteen days is as; maximum temperature 38.75 C° , minimum temperature 29.45 C° with humidity 31.50%. It is predicted that the population of this pest may increase during the next fortnight.

MEALY BUG

This pest flourish best at optimum temperature 29-40C with relative humidity 75-84%. The current weather conditions on overall Punjab basis is as; maximum temperature 42.38 $^{\circ}$ C, minimum 30.62 $^{\circ}$ C with R. humidity 52.55%. Weather forecast for the next fifteen days is as; maximum temperature 38.75 $^{\circ}$ C, minimum temperature 29.45 $^{\circ}$ C with humidity 31.50%. It is predicted that the population of this pest may initiate during the next fortnight.

TERMITES

The optimal temperature and RH conditions for the feeding activities are 35°-40C and 70-80% respectively. The current weather conditions on overall Punjab basis is as; maximum temperature 42.38 °C, minimum 30.62 °C with R. humidity 52.55%. Weather forecast for the next fifteen days is as; maximum temperature 38.75 °C, minimum temperature 29.45 °C with humidity 31.50%. It is predicted that the population of this pest will may sustain as such during the next fortnight.

MITES

The optimal temperature and RH conditions for the feeding activities are 30°-36C and 20-40% respectively. The current weather conditions on overall Punjab basis is as; maximum temperature 42.38 °C, minimum 30.62 °C with R. humidity 52.55%. Weather forecast for the next fifteen days

is as; maximum temperature $38.75 \, \text{C}^{\circ}$, minimum temperature $29.45 \, \text{C}^{\circ}$ with humidity 31.50%. It is predicted that the population of this pest will increase during the next fortnight pertaining to hot and dry weather.

RUST

This disease flourish best at optimum temperature 12-14C with relative humidity below 80-85%. The current weather conditions on overall Punjab basis is as; maximum temperature 42.38 C°, minimum 30.62 C° with R. humidity 52.55%. Weather forecast for the next fifteen days is as; maximum temperature 38.75 C°, minimum temperature 29.45 C° with humidity 31.50%. It is predicted that the present climatic conditions may be not favorable for the development of this disease.

RED ROT

This disease flourish best at optimum temperature 25.5-26.5C with relative humidity 60%. The current weather conditions on overall Punjab basis is as; maximum temperature 42.38 C°, minimum 30.62 C° with R. humidity 52.55%. Weather forecast for the next fifteen days is as; maximum temperature 38.75 C°, minimum temperature 29.45 C° with humidity 31.50%. It is predicted that the incidence of this disease may increase in the coming fortnight.

WHIP SMUT

This disease flourish best at optimum temperature 14-35C with relative humidity 55-80%. The current weather conditions on overall Punjab basis is as; maximum temperature 42.38 $^{\circ}$ C, minimum 30.62 $^{\circ}$ C with R. humidity 52.55%. Weather forecast for the next fifteen days is as; maximum temperature 38.75 $^{\circ}$ C, minimum temperature 29.45 $^{\circ}$ C with humidity 31.50%. It is predicted that the present climatic conditions are not favorable for the disease development so its incidence is expected to decrease during the next fortnight.

MOSAIC VIRUS

This disease flourish best at optimum temperature 14-35C with relative humidity 55-80%. The current weather conditions on overall Punjab basis is as; maximum temperature 42.38 $^{\circ}$ C, minimum 30.62 $^{\circ}$ C with R. humidity 52.55%. Weather forecast for the next fifteen days is as; maximum temperature 38.75 $^{\circ}$ C, minimum temperature 29.45 $^{\circ}$ C with humidity 31.50%. Incidence of this disease is not expected during the coming fortnight.

RECOMMENDATIONS

BORERS MANAGEMENT

- ❖ Install cards of beneficial insects (*Trichograma*) from the start of crop.
- Apply granular insecticide carbofuron 3G@ 12-14 kg/acre to the fields where infestation of sugarcane borers observed above ETL.

PYRILLA MANAGEMENT

- Promote parasitic insects (*Tetrastichus pyrillae*) against eggs of pyrilla and (*Epiricania melanoleuca*) against nymphs and adults of pyrilla.
- Cut the leaves 6 inch in length from those fields having parasite eggs and pupae in abundance and shift/hang them in fields where parasites are not found.
- ❖ Apply Granular insecticide Carbofuron 3G@ 12-14 kg/acre to the fields where infestation of sugarcane Pyrilla reaches ETL and parasites are not found. Application of granules may be done till the 6 feet height of canes.

WHITEFLY MANAGEMENT

- Cut severe infested leaves of whitefly and bury in the soil.
- Install cards of beneficial insects i.e Chrysoperla carnea

BLACK BUG MANAGEMENT

- Avoid the cane fields from water stress.
- ❖ Apply granular insecticide carbofuron 3G@ 12-14 kg/acre

RED ROT MANAGEMENT

- Select the seed for cultivation from diseased free crop.
- Cultivate resistant varieties.
- Cut and burn the diseased plants with stubbles.
- If diseased plants are observed in the fields then avoid ratooning of crop.
- Sowing of cane after dipping the sets in the solution of Thiaphenate Methyl.

TOKA MANAGEMENT

- For the management of Toka, eradicate the weeds along with water channels and field boundaries.
- In case its population exceeds ETL, dusting should be made with suitable insecticides around field bunds of Sugarcane.

WHIP SMUT MANAGEMENT

Cut and burn the diseased plants / Plant pests

ECONOMIC THRESHOLD LEVELS (ETLs) OF SUGARCANE PESTS

INSECT PESTS	ECONOMIC THRESHOLD LEVEL
Borers	10% infested canes.
Pyrilla	3 per leaf.
Whitefly	10 per Leaf
Black bug	10 per sheath.
Toka	3 per sweep
Mites	10 per Leaf
Mealy bug	Only presence
Termites	10% damage
Rodents	5 live burrows per acre
Diseases	Only presence